



APPLICATION

FOR PERCOLATION TESTING AND SITE EVALUATION

TEST DATE(S) _____ TEST TIME _____ AP 533348

AGENCY REVIEW: _____ DATE 8-2-10

DO NOT WRITE ABOVE THIS LINE

I HEREBY APPLY FOR THE NECESSARY TESTING/EVALUATION PRIOR TO ISSUANCE OF SEWAGE DISPOSAL SYSTEM PERMIT(S) TO:

CHECK AS NEEDED:

- CONSTRUCT NEW SEPTIC SYSTEM(S)
- REPAIR/ADD TO AN EXISTING SEPTIC SYSTEM
- REPLACE AN EXISTING SEPTIC SYSTEM

CHECK AS NEEDED:

- NEW STRUCTURE(S)
- ADDITION TO AN EXISTING STRUCTURE
- REPLACE AN EXISTING STRUCTURE

CHECK ONE:

- CREATE NEW LOT(S)
- BUILD ON AN EXISTING LOT IN A SUBDIVISION
- BUILD ON AN EXISTING PARCEL OF RECORD

IS THE PROPERTY WITHIN 2500' OF ANY RESERVOIR?

- YES
- NO

THE TYPE OF STRUCTURE IS:

- RESIDENTIAL WITH _____ PROPOSED BEDROOMS IN THE COMPLETED STRUCTURE (NOTE **UNKNOWN** IF APPROPRIATE)
- COMMERCIAL (PROVIDE DETAIL OF NUMBERS AND TYPES OF EMPLOYEES/ CUSTOMERS ON ACCOMPANYING PLAN)
- INSTITUTIONAL/GOVERNMENT (PROVIDE DETAIL OF NUMBERS AND TYPES OF EMPLOYEES/USERS ON ACCOMPANYING PLAN)

PROPERTY OWNER(S) Nassen Basir

DAYTIME PHONE 410-977-0864 CELL 410-977-0864 FAX 466-531-3596

MAILING ADDRESS 14059 Highw Rd C Lanhsville MD 21029
STREET CITY/TOWN STATE ZIP

APPLICANT Gary Phillips

DAYTIME PHONE 410-977-0864 CELL 410-977-0864 FAX 466-531-3596

MAILING ADDRESS _____
STREET CITY/TOWN STATE ZIP

APPLICANT'S ROLE: DEVELOPER BUILDER BUYER RELATIVE/FRIEND REALTOR CONSULTANT

PROPERTY LOCATION
SUBDIVISION/PROPERTY NAME Second Discovery LOT NO. 18

PROPERTY ADDRESS Maryvale Court Ellicott City MD
STREET TOWN/POST OFFICE






TAX MAP PAGE(S) 22 GRID 94-4A PARCEL(S) 90/45 PROPOSED LOT SIZE 4.223
Plan

AS APPLICANT, I UNDERSTAND THE FOLLOWING: THE SYSTEM INSTALLED SUBSEQUENT TO THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC SEWERAGE IS AVAILABLE. THIS APPLICATION IS COMPLETE WHEN ALL APPLICABLE FEES AND A SUITABLE SITE PLAN HAVE BEEN RECEIVED. I ACCEPT THE RESPONSIBILITY FOR COMPLIANCE WITH ALL M.O.S.H.A. AND "MISS UTILITY" REQUIREMENTS. APPROVAL IS BASED UPON SATISFACTORY REVIEW OF A PERC CERTIFICATION PLAN.

TEST RESULTS WILL BE MAILED TO APPLICANT. _____
SIGNATURE OF APPLICANT

HOWARD COUNTY HEALTH DEPARTMENT, BUREAU OF ENVIRONMENTAL HEALTH, WELL AND SEPTIC PROGRAM
7178 COLUMBIA GATEWAY DRIVE COLUMBIA, MARYLAND 21046 (410) 313-2640 FAX (410) 313-2648
TDD (410) 313-2323 TOLL FREE 1-877-4MD-DHMH

AVP



DATE	TEST #	DEPTH	START	BREAK 1" DROP	STOP 2" DROP	TIME OF 2ND INCH	P/F/H
11-1-10	P-3	3'10" / 12'	Ø	1:10	3:16	2+	P
	P-1	3' / 11.5'	Ø	2:05	4:50	2.75	P
	P-2	3.5' / 12'	Ø	2:48	2:20	< 2	repair
	P-2		Ø	2:17	5:20	3+	P
	A-2	3'2" / 13'	Ø	1:48	5:10	3+	P


A-2 staked

REMARKS Maryvale lot 18 Soils consistent
 SANITARIAN HB BACKHOE Cranford OTHERS Greg Phillips
 TEST HOLES USED IN SDA _____ AVG. PERC TIME _____ SQ. FT/BR _____
 TRENCH WIDTH _____ INLET DEPTH _____ MAX. BOT DEPTH _____ EFFECTIVE S/W _____

COORDINATE TABLE		
No.	NORTH	EAST
105	520691.030	813622.699
205	520406.301	813902.490
319	520044.900	813172.794
324	520059.904	813179.497
694	520033.742	813166.687
696	519698.352	813701.780
698	520705.906	813531.909
700	520103.837	813174.119
1002	520340.467	813303.107

MINIMUM LOT SIZE TABULATION						
LOT No.	GROSS AREA	PIPE STEM	REMAINING AREA	1-0 YEAR FLOODPLAIN	25% SLOPES	MINIMUM LOT SIZE
17	3,876 AC.	0.000 AC.	3,876 AC.	0.000 AC.	0.000 AC.	3,876 AC.
18	4,223 AC.	0.123 AC.	4,100 AC.	4,000 AC.	0.000 AC.	4,100 AC.

CURVE DATA						
No. - No.	RADIUS	ARC	DELTA	TANGENT	CHORD BEARING & DISTANCE	
319 - 324	100.00'	16.52'	09°28'04"	0.28'	N23°57'36"E 16.51'	
324 - 700	50.00'	15.76'	52°26'29"	24.63'	N06°59'33"W 44.18'	




FOREST CONSERVATION EASEMENT TABULATION	
SYMBOL	BEARING & DISTANCE
(A)	N52°03'02"E 61.00'
(B)	S60°41'59"E 92.00'
(C)	S44°29'53"E 399.20'
(D)	S21°33'39"W 210.00'
(E)	N39°19'03"W 550.06'

THE REQUIREMENTS 6-3-100, THE REAL PROPERTY ARTICLE, ANNOTATED CODE OF MARYLAND, 1998 REPLACEMENT VOLUME, (AS SUPPLEMENTED) AS FAR AS THEY RELATE TO THE MAKING OF THIS PLAT AND THE SETTING OF MARKERS HAVE BEEN COMPLIED WITH.

Terrell A. Fisher 1-25-94
 TERRELL A. FISHER, REG. L.S. #10692 DATE

William W. Aitchison 1-25-94
 WILLIAM W. AITCHISON DATE

TOTAL SHEET AREA TABULATION	
TOTAL NUMBER OF BUILDABLE LOTS TO BE RECORDED.	2
TOTAL NUMBER OF OPEN SPACE LOTS TO BE RECORDED.	0
TOTAL NUMBER OF LOTS TO BE RECORDED.	2
TOTAL AREA OF BUILDABLE LOTS TO BE RECORDED.	8.101 AC.
TOTAL AREA OF OPEN SPACE LOTS TO BE RECORDED.	0.000 AC.
TOTAL AREA OF LOTS TO BE RECORDED.	8.101 AC.
TOTAL AREA OF ROADWAY TO BE RECORDED.	0.000 AC.
TOTAL AREA TO BE RECORDED.	8.101 AC.



- GENERAL NOTES:**
 SCALE 1" = 1200'
- THIS AREA DESIGNATES A PRIVATE SEWERAGE EASEMENT OF 10,000 SQUARE FEET AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCES FOR ENCROACHMENTS INTO THE PRIVATE SEWERAGE EASEMENT. RECORDATION OF A MODIFIED EASEMENT SHALL NOT BE NECESSARY.
 - THE LOTS SHOWN HEREON COMPLY WITH THE MINIMUM OWNERSHIP WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT. SUBJECT PROPERTY ZONED RR-DEO PER 10/5/92 COMPREHENSIVE ZONING PLAN. COORDINATES BASED ON NAD '87, MARYLAND COORDINATE SYSTEM AS PROJECTED BY HOWARD COUNTY GEODETIC CONTROL STATIONS NO. 3036005 AND NO. 3036006.
 - 3036005 N 518387.760 E 812432.613
 3036006 N 518439.620 E 812672.473
 - THIS PLAT IS BASED ON FIELD RUN BOUNDARY SURVEY PERFORMED ON OR ABOUT MAY, 1989 BY FISHER, COLLINS AND CARTER, INC.
 - B.R.L. DENOTES BUILDING RESTRICTION LINE.
 - DENOTES IRON PIN SET CAPPED "F.C.C. 106".
 - DENOTES IRON PIPE OR IRON BAR FOUND.
 - DENOTES ANGULAR CHANGE IN BEARING OF BOUNDARY OR RIGHTS-OF-WAY.
 - DENOTES CONCRETE MONUMENT SET WITH ALUMINUM PLATE "F.C.C. 106".
 - DENOTES STONE OR MONUMENT FOUND.
 - DENOTES WETLAND AREAS.
 - DENOTES REMOVAL AND ROAD MAINTENANCE TO BE PROVIDED AT THE JUNCTION OF PIPE/FLAG STEM AND THE ROAD R/W AND NOT ONTO THE FLAG/PIPE STEM DRIVEWAY.
 - DRIVEWAY(S) SHALL BE PROVIDED PRIOR TO RESIDENTIAL OCCUPANCY TO INSURE SAFE ACCESS FOR FIRE AND EMERGENCY VEHICLES PER THE FOLLOWING (MINIMUM) REQUIREMENTS:
 a) WIDTH - 12 FEET (16 FEET SERVING MORE THAN ONE RESIDENCE);
 b) SURFACE - SIX (6") INCHES OF COMPACTED CRUSHER RUN BASE WITH TAR AND CHIP COATING (1/2" MINIMUM);
 c) GEOMETRY - MAXIMUM 15% GRADE, MAXIMUM 10% GRADE CHANGE AND 45-FOOT TURNING RADIUS;
 d) STRUCTURES (CULVERTS/BRIDGES) - CAPABLE OF SUPPORTING 25 GROSS TONS (H25-LOADING);
 e) DRAINAGE ELEMENTS - CAPABLE OF SAFELY PASSING 100 YEAR FLOOD WITH NO MORE THAN 1 FOOT DEPTH OVER DRIVEWAY SURFACE;
 f) STRUCTURE CLEARANCES - MINIMUM 12 FEET;
 g) MAINTENANCE - SUFFICIENT TO INSURE ALL WEATHER USE.
 - NO CLEARING, GRADING OR CONSTRUCTION IS PERMITTED WITHIN THE STREAM BUFFER.
 - ALL LOT AREAS ARE MORE OR LESS 140.
 - EXISTING DWELLING ON LOT 17 AND EXISTING SHED ON LOT 18 TO REMAIN.
 - PLAT IS SUBJECT TO PRIOR DEPARTMENT OF PLANNING AND ZONING FILE NO. 588-88, P89-26, P89-243, WPB8-136 AND WPS4-44 WAIVING SECTION 16.204(a)-d ALLOWING NOT TO SUBMIT FOREST CONSERVATION AND FOREST STAND DELINEATION PLANS AND THE PAYMENT OF FOREST RETENTION SURETY AND SECTION 16.116(a)(4) NOT TO DELINEATE WETLANDS AND WETLANDS BUFFERS. THE WAIVER WAS APPROVED ON 1/11/94.
 - DENOTES FOREST CONSERVATION EASEMENT. THE FOREST CONSERVATION EASEMENT HAS BEEN ESTABLISHED TO FULFILL THE REQUIREMENTS OF SECTION 16.1200 OF THE HOWARD COUNTY CODE FOREST CONSERVATION ACT. NO CLEARING, GRADING OR CONSTRUCTION IS PERMITTED WITHIN THE FOREST CONSERVATION EASEMENT. HOWEVER, FOREST MANAGEMENT PRACTICES AS DEFINED IN THE DEED OF FOREST CONSERVATION EASEMENT ARE ALLOWED.

OWNER AND DEVELOPER
 MR. WILLIAM W. AITCHISON
 301 COVE CREEK ROAD
 STEVENSVILLE, MARYLAND 21786

FILED APR 06 1994
 STATE DEPT. OF ASSESSMENTS & TAXATION
 HOWARD COUNTY
Bonnie Best Free
 RECEIVED BY:
 DATE: 4/5/93 PLAT:

THE PURPOSE OF THIS PLAT IS TO RESUBDIVIDE EXISTING LOT 7 INTO NEW LOTS 17 AND 18.

FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 971 BALTIMORE NATIONAL PKWY., SUITE 100
 ELKLOTT CITY, MARYLAND 21042
 (410) 461-2855

APPROVED FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT.

Joyce M. Brundage 3/15/94
 HOWARD COUNTY HEALTH OFFICER DATE

APPROVED HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING.

James R. Butler 4/4/94
 DIRECTOR DATE

APPROVED FOR STORM DRAINAGE SYSTEMS, AND PUBLIC ROADS, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS.

James A. Schum 3/25/94
 DIRECTOR DATE

OWNER'S CERTIFICATE

WILLIAM W. AITCHISON, OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON, HEREBY ADOPTS THIS PLAN OF SUBDIVISION, AND IN CONSIDERATION OF THE APPROVAL OF THIS PLAT BY THE DEPARTMENT OF PLANNING AND ZONING ESTABLISH THE MINIMUM BUILDING RESTRICTION LINES. ALL EASEMENTS OR RIGHTS-OF-WAY AFFECTING THE PROPERTY ARE INCLUDED IN THIS PLAN OF SUBDIVISION. WITNESS MY HAND THIS 22ND DAY OF 22ND FEBRUARY, 1994.

William W. Aitchison
 WILLIAM W. AITCHISON

Michael J. McCann
 WITNESS

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THE FINAL PLAT SHOWN HEREON IS CORRECT; THAT IT IS A SUBDIVISION COMPRISED OF PART OF THE LAND CONVEYED BY KATHLEEN A. KOUBEK TO WILLIAM W. AITCHISON BY DEED DATED NOVEMBER 9, 1989 AND RECORDED AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND IN LIBER No. 2084 AT FOLIO 216; AND ALSO BEING KNOWN AS LOT No. 7 AS SHOWN ON A PLAT ENTITLED "SECOND DISCOVERY SUBDIVISION" RECORDED AMONG THE AFOREMENTIONED LAND RECORDS AS PLAT No. 9144, AND THAT ALL MONUMENTS ARE IN PLACE OR WILL BE IN PLACE PRIOR TO THE ACCEPTANCE OF THE STREETS IN THE SUBDIVISION BY HOWARD COUNTY, MARYLAND AS SHOWN IN ACCORDANCE WITH THE ANNOTATED CODE OF MARYLAND AS AMENDED, AND THE BOUNDARY SURVEY IS IN ACCORDANCE WITH THE HOWARD COUNTY SUBDIVISION REGULATIONS.

Terrell A. Fisher
 TERRELL A. FISHER, L.S. No. 10692

DATE: 1-25-94

RECORDED AS PLAT No. _____ ON _____ AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND.


SECOND DISCOVERY LOTS 17 AND 18

(A RESUBDIVISION OF LOT 7, "SECOND DISCOVERY LOTS 1 - 16", PLAT No. 9144) ZONED "RR-DEO"

TAX MAP No. 22 Part of PARCEL 45 THIRD ELECTION DISTRICT HOWARD COUNTY, MARYLAND

Scale: 1" = 100'
 DATE: NOVEMBER 5, 1993
 SHEET 1 OF 1
 F-94-49





- LEGEND**
- EX. POWER POLE
 - EX. WATER WELL
 - EX. MAILBOX
 - EX. DECORATIVE BUSH
 - EX. POST
 - EX. TELEPHONE OR CABLE PEDESTAL
 - EX. SPOT ELEVATION
 - PROP. SPOT ELEVATION
 - EX. CONTOUR
 - PROP. CONTOUR
 - EX. EDGE WOODED AREA
 - PROP. EDGE WOODED AREA
 - SILT FENCE
 - SUPER SILT FENCE
 - LIMIT OF DISTURBANCE
 - DRAINAGE DIVIDE
 - PASSING NEW PERCOLATION TEST LOCATION
 - SCALED LOCATION OF THE ORIGINAL PERCOLATION TEST
 - EX. SEPTIC FIELD PLAT No. 11172
 - PROPOSED SEPTIC RESERVE 10,000 SF. +

MARYVALE COURT

LOT 6
PLAT No. 9143
SECOND DISCOVERY

LOT 17
PLAT No. 11172
SECOND DISCOVERY

LOT 18
PLAT No. 11172
SECOND DISCOVERY
4.223 Ac±

LOT 7
BLOCK "A"
P.B. 10, P. 63
FOXDEN FARMS

LOT 5
BLOCK "A"
P.B. 10, P. 63
PART TWO
FOXDEN FARMS

LOT 5
BLOCK "A"
P.B. 10, P. 63
PART TWO
FOXDEN FARMS

PLAN VIEW
SCALE: 1" = 30'

SEPTIC SYSTEM NOTES:

- 1- SUBMIT THIS PLAN TO THE HOWARD COUNTY HEALTH DEPARTMENT FOR THE DESIGN AND SPECIFICATION OF THE SEPTIC TRENCHES.
- 2- THE LOT SHOWN HEREON COMPLY WITH THE MINIMUM OWNERSHIP WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT.
- 3- ANY CHANGES TO THE PRIVATE SEWAGE EASEMENT WILL REQUIRE A REVISED PERCOLATION CERTIFICATION PLAN.
- 4- AN EJECTOR PUMP IS REQUIRED FOR THE SEWAGE DISPOSAL FROM THE BASEMENT LEVEL OF THIS HOUSE.
- 5- THIS PLAN IS BASED ON A FIELD RUN SURVEY BY NJR & ASSOC. DATED JULY 08, 2010.
- 6- ALL WELLS AND SEPTIC FIELDS WITHIN 100 FEET OF THIS PROPERTY ARE SHOWN HEREON.
- 7- SEPTIC AREA TABULATION: AREA OF EXISTING / PROPOSED OVERLAP = 5,866 SF. AREA OF EXISTING TO BE ABANDONED = 4,200 SF ± AREA OF NEW PROPOSED BEYOND EXISTING = 4,476 SF. TOTAL PROPOSED AREA = 10,342 SF.
- 8- THE PROPOSED WELL MUST BE DRILLED PRIOR TO BUILDING PERMIT APPROVAL.
- 9- ALL RAINGARDENS WITHIN 100 FEET FROM THE WELL AND WELL BOX MUST BE EQUIPPED WITH AN IMPERMEABLE LINER.
- 10- AN ADVANCED PRE-TREATMENT SYSTEM, WHICH UTILIZES BEST AVAILABLE TECHNOLOGY TO PERFORM NITROGEN REDUCTION WILL BE INSTALLED ON THE SEPTIC SYSTEM FOR LOT 18. A SUPPLEMENTAL PLAN WITH ALL OF THE NECESSARY DETAILS FOR INSTALLATION OF THE SYSTEM WILL BE REQUIRED PRIOR TO RELEASE OF THE BUILDING PERMIT AND SEPTIC SYSTEM INSTALLATION PERMIT.

THIS AREA DESIGNATES A PRIVATE EASEMENT OF A MINIMUM OF 10,000 SQUARE FEET (OR FEET PER LOT FOR SHARED DRAIN FIELDS ASSOCIATED WITH A SHARED SEWAGE DISPOSAL FACILITY) AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWAGE IS AVAILABLE. THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION OF PUBLIC SEWAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCE FOR ENCROACHMENTS IN TO THE PRIVATE SEWAGE EASEMENT. RECORDATION OF A MODIFIED SEWAGE EASEMENT SHALL NOT BE NECESSARY.

APPROVED FOR PRIVATE WATER AND PRIVATE SEWAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT

Brian P. Peter Beilman 6/8/2011
COUNTY HEALTH OFFICER DATE

LOT 18
PLAT No. 11172
SECOND DISCOVERY
LOTS 17 AND 18
THIRD ELECTION DISTRICT
HOWARD COUNTY, MARYLAND


PLAN PREPARED BY:
NJR & ASSOCIATES, LLC.
LAND SURVEYING AND PLANNING
1813 MONTVERDE ROAD
JESSUP, MARYLAND 20794
PHONE: (410) 799-3093
FAX: (410) 799-3093

- REVISIONS**
- 1- ADD SOIL TYPES, LOCATE PROP. SEPTIC RESERVE AREA, SEPTEMBER 09, 2010.
 - 2- REVISED AS PER HO. CO. HEALTH DEPT. COMMENTS OF 10/07/10 AT 10/12/10.
 - 2- REVISED AS PER HO. CO. HEALTH DEPT. COMMENTS OF 06/02/11 AT 06/03/11.



DATE: JULY 08, 2010
JOB NUMBER: 2982
FILE NUMBER: 2982TOPO
PLOTTED: JUNE 06, 2011
DRAWN BY: NR

PERCOLATION CERTIFICATION PLAN
SHEET 1 OF 1



- LEGEND**
- EX. POWER POLE
 - EX. WATER WELL
 - EX. MAILBOX
 - EX. DECORATIVE BUSH
 - EX. POST
 - EX. TELEPHONE OR CABLE PEDESTAL
 - EX. SPOT ELEVATION
 - EX. CONTOUR
 - EX. EDGE WOODED AREA
 - PROP. SPOT ELEVATION
 - PROP. CONTOUR
 - EX. EDGE WOODED AREA
 - PROP. EDGE WOODED AREA
 - SILT FENCE
 - SUPER SILT FENCE
 - LIMIT OF DISTURBANCE
 - DRAINAGE DIVIDE
 - PASSING NEW PERCOLATION TEST LOCATION
 - SCALED LOCATION OF THE ORIGINAL PERCOLATION TEST
 - EX. SEPTIC FIELD PLAT No. 11172
 - PROPOSED SEPTIC RESERVE 10,000 SF.±

MARYVALE COURT

LOT 6
PLAT No. 9143
SECOND DISCOVERY

LOT 17
PLAT No. 11172
SECOND DISCOVERY

LOT 18
PLAT No. 11172
SECOND DISCOVERY
4.223 Ac±

LOT 7
BLOCK "A"
P.B. 10, P. 63
PART TWO
FOXDEN FARMS

LOT 5
BLOCK "A"
P.B. 10, P. 63
PART TWO
FOXDEN FARMS

PLAN VIEW
SCALE: 1" = 30'

- SEPTIC SYSTEM NOTES:**
- 1- SUBMIT THIS PLAN TO THE HOWARD COUNTY HEALTH DEPARTMENT FOR THE DESIGN AND SPECIFICATION OF THE SEPTIC TRENCHES.
 - 2- THE LOT SHOWN HEREON COMPLY WITH THE MINIMUM OWNERSHIP WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT.
 - 3- ANY CHANGES TO THE PRIVATE SEWAGE EASEMENT WILL REQUIRE A REVISED PERCOLATION CERTIFICATION PLAN.
 - 4- AN EJECTOR PUMP IS REQUIRED FOR THE SEWAGE DISPOSAL FROM THE BASEMENT LEVEL OF THIS HOUSE.
 - 5- THIS PLAN IS BASED ON A FIELD RUN SURVEY BY NJR & ASSOC. DATED JULY 08, 2010.
 - 6- ALL WELLS AND SEPTIC FIELDS WITHIN 100 FEET OF THIS PROPERTY ARE SHOWN HEREON.
 - 7- SEPTIC AREA TABULATION: AREA OF EXISTING / PROPOSED OVERLAP = 5,866 SF.
AREA OF EXISTING TO BE ABANDONED = 4,200 SF.±
AREA OF NEW PROPOSED BEYOND EXISTING = 4,476 SF.
TOTAL PROPOSED AREA = 10,342 SF.
 - 8- THE PROPOSED WELL MUST BE DRILLED PRIOR TO BUILDING PERMIT APPROVAL.
 - 9- ALL RAINGARDENS WITHIN 100 FEET FROM THE WELL AND WELL BOX MUST BE EQUIPPED WITH AN IMPERMEABLE LINER.
 - 10- AN ADVANCED PRE-TREATMENT SYSTEM, WHICH UTILIZES BEST AVAILABLE TECHNOLOGY TO PERFORM NITROGEN REDUCTION WILL BE INSTALLED ON THE SEPTIC SYSTEM FOR LOT 18. A SUPPLEMENTAL PLAN WITH ALL OF THE NECESSARY DETAILS FOR INSTALLATION OF THE SYSTEM WILL BE REQUIRED PRIOR TO RELEASE OF THE BUILDING PERMIT AND SEPTIC SYSTEM INSTALLATION PERMIT.

THIS AREA DESIGNATES A PRIVATE EASEMENT OF A MINIMUM OF 10,000 SQUARE FEET (OR FEET PER LOT FOR SHARED DRAIN FIELDS ASSOCIATED WITH A SHARED SEWAGE DISPOSAL FACILITY) AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL IMPROVEMENTS OF ANY NATURE IN THIS AREA. ARE RESTRICTED UNTIL PUBLIC SEWAGE IS AVAILABLE. THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION OF PUBLIC SEWAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCE FOR ENCROACHMENTS IN TO THE PRIVATE SEWAGE EASEMENT. RECORDATION OF A MODIFIED SEWAGE EASEMENT SHALL NOT BE NECESSARY.

APPROVED FOR PRIVATE WATER AND PRIVATE SEWAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT

Richard Peter Beilinson
COUNTY HEALTH OFFICER
DATE: 6/8/2011

LOT 18
PLAT No. 11172
SECOND DISCOVERY
LOTS 17 AND 18
THIRD ELECTION DISTRICT
HOWARD COUNTY, MARYLAND

PLAN PREPARED BY:
NJR & ASSOCIATES, LLC.
LAND SURVEYING AND PLANNING
1813 MONTVEDDO ROAD
JESSUP, MD 20794
TEL: (410) 508-3000
FAX: (410) 798-8083

REVISIONS

1-	ADD SOIL TYPES, LOCATE PROP. SEPTIC RESERVE AREA,
SEPTEMBER 09, 2010.	
2-	REVISED AS PER HO. CO. HEALTH DEPT. COMMENTS OF 10/07/10 AT 10/12/10.
2-	REVISED AS PER HO. CO. HEALTH DEPT. COMMENTS OF 06/02/11 AT 06/03/11.



DATE: JULY 08, 2010
JOB NUMBER: 2982
FILE NUMBER: 2982TOPO
PLOTTED: JUNE 06, 2011
DRAWN BY: NR

PERCOLATION CERTIFICATION PLAN
SHEET 1 OF 1