

Bureau of Environmental Health
 8930 Stanford Boulevard, Columbia, MD 21045
 Main: 410-313-2640 | Fax: 410-313-2648
 TDD 410-313-2323 | Toll Free 1-866-313-6300
www.hchealth.org
 Facebook: www.facebook.com/hocohealth

Maura J. Rossman, M.D., Health Officer

RECEIPT DATE: 4/15/15 **ONSITE SEWAGE DISPOSAL SYSTEM** P 555810
 INSTALLATION **PERMIT**
 APPROVAL DATE: 4/30/2015 **CONSTRUCTION** A _____

PROPERTY ADDRESS: 3100 LONGFIELD ROAD
 SUBDIVISION: WELLINGTON, SECTION 1, AREA 1 LOT: 1 TAX ID: 04-349229
 CONTRACTOR: South Carroll Beckhoe EMAIL: Sbeckhoe@verizon.net
 CONTRACTOR ADDRESS: 4410 Salem Bottom RD, Westminster, MD 21157 PHONE: 410-596-8618
 PROPERTY OWNER: JAMES AND MICHELLE HARAN EMAIL: james@level1contracting.com
 OWNER ADDRESS: 3100 LONGFIELD ROAD, GLENWOOD, MD 21738 PHONE: 410-804-3364

BAT UNIT MODEL: NORWECO TNTLP-500 PUMP SIZE: N/A PUMP TANK CAPACITY: N/A
 DISTRIBUTION SYSTEM: GRAVITY LOW PRESSURE DOSED NUMBER OF BEDROOMS: 4

TRENCHES:	LINEAR FEET REQUIRED: <u>150 165'</u>	INLET DEPTH: <u>3.5</u>
	TRENCH WIDTH: <u>2 3'</u>	MAXIMUM BOTTOM DEPTH: <u>6'</u>
	MINIMUM SPACE BETWEEN TRENCHES: <u>10</u>	EFFECTIVE AREA BEGINNING DEPTH: <u>3.5</u>
LOCATION:	PER APPROVED SITE PLAN. SEWAGE DISPOSAL AREA AND BAT UNIT LOCATION MUST BE STAKED BY LICENSED SURVEYOR PRIOR TO PRE-CONSTRUCTION INSPECTION.	
NOTES:	<u>40', 45' + 80'</u>	


ISSUED BY: ROBERT BRICKER ISSUE DATE: 4/15/15 EXPIRATION DATE: 4/15/16

- NOTE: CONTRACTOR MUST SCHEDULE A PRE-CONSTRUCTION INSPECTION PRIOR TO BEGINNING ANY INSTALLATION
- NOTE: CONTRACTOR MUST SCHEDULE AN INSPECTION AND GAIN APPROVAL OF ALL COMPONENTS PRIOR TO COVERING
- NOTE: STONE MUST BE APPROVED BY HEALTH DEPARTMENT AND GRAVEL TICKET MUST BE AVAILABLE FOR REVIEW.
- NOTE: WATERTIGHT SEPTIC TANKS REQUIRED
- NOTE: ALL PARTS OF SEPTIC SYSTEM SHALL BE AT LEAST 100 FEET DOWNGRADIENT FROM ANY WATER WELL
- NOTE: MANHOLE RISERS REQUIRED ON ALL SEPTIC TANKS AND PUMP CHAMBERS
- NOTE: AN ELECTRICAL PERMIT IS REQUIRED FOR INSTALLATION OF ANY ELECTRICAL COMPONENTS OF THE SYSTEM
- NOTE: AN INDIVIDUAL CERTIFIED BY MDE AND THE MANUFACTURER FOR BAT INSTALLATION MUST BE PRESENT AT ALL TIMES DURING BAT INSTALLATION.
- NOTE: MDE RECOMMENDS SEPTIC TANKS, BAT, AND OTHER PRETREATMENT UNITS BE PUMPED AT A FREQUENCY ADEQUATE TO ENSURE THAT SOLIDS ARE NOT DISCHARGED TO THE DISPOSAL AREA

**NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.
 PERMITTEE RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.
 CALL 410-313-1771 TO SCHEDULE INSPECTIONS.**

HO-14-0132

NOT TO SCALE



TRENCH/DRAINFIELD DATA		
WIDTH	INLET	BOTTOM
2'-3'	3.5'	6-7'
NUMBER OF TRENCHES		3
TOTAL LENGTH		161'
ABSORPTION AREA		503 + Sidewall
DISTRIBUTION BOX LEVEL		Levelers
DISTRIBUTION BOX BAFFLE		Yes
DISTRIBUTION BOX PORT		Yes

SEPTIC TANK DATA	
SEPTIC TANK I LEVEL	Yes
MANUFACTURER	Norweco / Back River
CAPACITY	1300 GAL
SEAM LOC	Top
TANK LID DEPTH	3'-4' ?
BAFFLES	No
BAFFLE FILTER	N/A
MANHOLE LOC	Front Middle + Rear
6" PORT LOC	None
WATERTIGHT TEST	No
SLOTTED	N/A
DATE ON LID	3/31/2015

PUMP/SEPTIC TANK LEVEL	
MANUFACTURER	
CAPACITY	GAL
SEAM LOC	
TANK LID DEPTH	
BAFFLES	
BAFFLE FILTER	
MANHOLE LOC	
6" PORT LOC	
WATERTIGHT TEST	
SLOTTED	
DATE ON LID	

5/21/2015 Foundation location missing porch. (BB)

5/26/2015 Visited site to get measurement. (BB)

PRE-CONSTRUCTION

4/21/2015 Tank location staked. O.K. to install tank and house connection. Fill and junk need to be removed from septic easement before trenches can be laid out. (BB)

4/27/2015 New trench locations laid out. (BB)

INSTALLATION:

4/22/2015 Tank set. House connection made. (BB)

4/23/2015 No further work done. (BB)

4/27/2015 Shallow rock encountered while digging the top trench. Rocky part of top trench abandoned. Several observation perc. test holes dug to assess the rock content of various parts of the easement. A usable area was found near the middle right part of the easement. The bottom two trenches were relocated and made shallower. (BB)

4/29/2015 Trenches installed. Need

FINAL INSPECTOR B. Baker DATE OF APPROVAL 4/30/2015

certification from Norweco inspector. (BB) 4/30/2015 Received, certification from Norweco inspector. (BB) 5/12/2015 Unit functioning. (BB)

Back River Pre-Cast, LLC

PO BOX 329
Glyndon, MD 21071
Phone # 410-833-3394
Fax # 410-833-4116

Letter of Certification

This is to certify that the Norweco Singulair TNT 600 GPD Septic Tank installed at 3100 Longfield Rd., Glenwood, MD 21738 was installed on April 22, 2015 according to the manufacture's specifications.

Installer: Mark Seal

Property Owner: James Haran



MATTHEW GECKLE

Vice-President



Bureau of Environmental Health

8930 Stanford Boulevard, Columbia, MD 21045

Main: 410-313-2640 | Fax: 410-313-2648

TDD 410-313-2323 | Toll Free 1-866-313-6300

www.hchealth.org

Facebook: www.facebook.com/hocohealth

Twitter: HowardCoHealthDep

Maura J. Rossman, M.D., Health Officer

**OPERATION AND MAINTENANCE AGREEMENT
FOR AN ON-SITE SEWAGE DISPOSAL SYSTEM
HAVING AN ADVANCED PRE-TREATMENT SYSTEM**

THIS AGREEMENT is made this 8th day of April, among James Haran, hereinafter collectively referred to as "Owner", and the Howard County Health Department hereinafter referred to as the "County".

WHEREAS, Owner is the owner or contract owner of a parcel of land located at 3100 Longfield Road, Glenwood MD 21738, in the 04 Election District of Howard County, Maryland, and the deed to same is recorded or shall be recorded among the Land Records of Howard County, Maryland in Liber 15621 Folio 00321.

WHEREAS, The Lot is suitable for the installation of a conventional on-site sewage disposal system with an advanced pre-treatment system, utilizing best available technology to perform nitrogen reduction, in accordance with the Code of Maryland Regulations 26.04.02.07, effective January 1, 2013. The pre-treatment device being installed is NORWECO TMTLP 500.

NOW, THEREFORE, the parties hereto agree as follows:

A. Owner hereby grants to the County the right to enter upon the Lot at any reasonable time for access to the system to make periodic inspections and the Owner agrees to provide any information and data in Owner's possession reasonably requested and needed by the County to develop accurate and thorough test results.

B. Owner acknowledges and agrees that neither the County nor any of its agents or employees, either officially or individually, underwrites the operation of any system approved by them.

C. The Owner will devote reasonable care and effort to the operation and maintenance of the system in perpetuity or until a public sewer connection is made so that a system malfunction is not the result of poor maintenance, faulty operation, or neglect.

D. The Owner agrees to enter into a contract reasonably acceptable to the Owner and the County with a private entity to operate and maintain on a regularly scheduled basis an approved advanced pre-treatment system. The owner shall supply a copy of the contract to the County when it is renewed or altered.

E. This agreement shall run with the land and upon Owner's taking title to the Lot shall bind the Owner, their heirs, successors, and assigns to the provisions of the agreement as long as the property is in existence and after installation of the system. Owner further agrees that they shall inform in writing any subsequent purchaser or lessee of the Lot that the system shall require

maintenance or other attention. Upon taking title to the Lot, the Owner agrees to cause this agreement to be recorded in the Land Records of Howard County and assure that it becomes part of the Deed for the subject property in order that prospective buyers may be aware of the special conditions affecting this property.

F. This agreement shall not be construed to limit any authority of the County to protect the public health, safety or comfort or to issue any other orders to take any other action which is now or may hereafter be within its authority.


G. This agreement may be voided at any time at the discretion of the County.


H. This agreement contains the entire agreement and understanding between the County and the Owner. There are no additional terms other than as contained in this agreement. This agreement may not be modified, except in writing signed by each of the parties or by their authorized representatives.

I. The laws of the State of Maryland govern the provisions of all transactions pursuant to this agreement.

J. Owner acknowledges and agrees that interior renovations to increase the number of bedrooms or an increase in living space shall not be permitted without approval from the County.

IN WITNESS WHEREOF, the parties have signed and sealed this agreement on the date indicated above.


Howard County Health Department

 4/8/15
Owner #1 Signature Date

James Hovan
Owner #1 Print Name

SAME
Buyer #1 Signature Date


SAME
Buyer #1 Print Name

Owner #2 Signature Date


Owner #2 Print Name

Buyer #2 Signature Date

Buyer #2 Print Name



*Wall Check
OK
4-15-15*



FOUNDATION DETAIL
SCALE: 1"=30'

FOUNDATION CERTIFICATION
3100 LONGFIELD RD
LOT 1
"WELLINGTON"
SECTION ONE, AREA ONE
 SINGLE FAMILY DETACHED
 PLAT C.M.P., # 8945
 ZONED RC-DEO

FOURTH ELECTION DISTRICT TAX MAP #14, GRID 21, PARCEL 239
 HOWARD COUNTY, MARYLAND

THIS IS TO CERTIFY THAT WE HAVE LOCATED THE IMPROVEMENTS AS SHOWN ACCORDING TO THE REGULATIONS GOVERNING THE MARYLAND STANDARDS OF PRACTICE FOR PROFESSIONAL LAND SURVEYORS EFFECTIVE DATE AUGUST, 2005

Richard S. Krebs 1-20-15
 MR. RICHARD S. KREBS MD. REG. NO. 10873 DATE: 01/19/15
 EXP. DATE 4/24/16



NOTE: ACCURACY OF APPARENT SETBACK DISTANCES ARE 1 FT. +/-

NOTE: (A.) THIS PLAT IS NOT INTENDED FOR USE IN ESTABLISHING PROPERTY LINES AND DOES NOT CONSTITUTE A BOUNDARY SURVEY.

(B.) THIS PLAT IS OF THE BENEFIT TO THE CONSUMER ONLY INSOFAR AS IT IS REQUIRED BY A LENDER OR TITLE INSURANCE COMPANY OR ITS AGENT IN CONNECTION WITH CONTEMPLATED TRANSFER, FINANCING OR REFINANCING.

(C.) THIS PLAT SHOULD NOT BE RELIED UPON FOR THE LOCATION OR ESTABLISHMENT OF FENCES, GARAGES, BUILDINGS OR OTHER EXISTING OR FUTURE IMPROVEMENTS

DATE: 01/19/15 SCALE: 1" = 100'

CHARLES R. CROCKEN & ASSOCIATES, INC.
 Civil Engineering Land Planning
 902 Lee Ave.
 Sykesville, Md. 21157
 Tel. (410) 549-2708

3100 Longfield Road

Clerk of the Circuit Court for
Howard County
Land Records/Licensing

The Thomas Dorsey Building
9250 Bendix Road
Columbia, MD 21045
410-313-5850

=====
LR - Agreement Recording Fee
1x 20.00 20.00

Grantor/Grantee Name: Haran
Reference/Control #: 121

LR - Agreement Surcharge
1x 40.00 40.00




=====
SubTotal: 60.00
Total: 60.00

=====
REV-Cash 60.00

CC13-CH

SOILS LEGEND					
SYMBOL	NAME/DESCRIPTION	SOIL GROUP	K-VALUE	K-VALUE	HYDRIC GROUP
MaD	Manor loam, 15 to 25 percent slopes	B	0.28	+	NOT HYDRIC
GgA	Glenelig loam, 0 to 3 percent slopes	B	0.28	+	NOT HYDRIC
GgC	Glenelig loam, 8 to 15 percent slopes	B	0.28	+	NOT HYDRIC
GnB	Glenville-Salts alt loams, 0 to 8 percent slopes	C	0.43	+	NOT HYDRIC

SOIL TYPES BASED ON HOWARD COUNTY SOIL SURVEY MAP # 13 OF 29 / ELLICOTT CITY SW, MARYLAND



GENERAL NOTES:

- SINGULAR® AIRATOR, AS TESTED AND ACCEPTED BY NSF, OPERATING 90 MINUTES ON / 150 MINUTES OFF.
- FALL THROUGH SINGULAR® PLANT FROM INLET INVERT TO OUTLET INVERT IS FOUR INCHES. INLET INVERT IS TWELVE INCHES BELOW TANK TOP.
- ON DEEPER INSTALLATIONS, PRECAST RISERS MUST BE USED TO EXTEND AIRATOR MOUNTING CASTING AND BIO-KINETIC® SYSTEM MOUNTING CASTING TO GRADE.
- TANK REINFORCED PER ACI STD. 318.05.
- REMOVABLE COVERS ON RISERS MUST BE EXCESS OF TWENTY-FIVE POUNDS EACH TO PREVENT UNAUTHORIZED ACCESS.
- CONTACT THE LOCAL LICENSED SINGULAR® DISTRIBUTOR FOR ELECTRICAL REQUIREMENTS.

PROJECT ENGINEER'S APPROVAL:
I (WE) HEREBY CERTIFY THAT THIS DRAWING HAS BEEN CHECKED AND IS APPROVED FOR USE IN CONFORMITY WITH THE CONTRACT DOCUMENTS.

DATE: _____

CONTRACTOR'S CERTIFICATION:
I (WE) HEREBY CERTIFY THAT THIS DRAWING HAS BEEN CHECKED AND IS APPROVED FOR USE IN CONFORMITY WITH THE CONTRACT DOCUMENTS.

DATE: _____

CRITICAL DIMENSIONS	
A 1'-0"	N 0'-0"
B 2'-0"	O 0'-0"
C 3'-0"	P 0'-0"
D 4'-0"	Q 1'-4"
E 5'-0"	R 3'-0"
F 6'-0"	S 0'-0"
G 7'-0"	T 0'-0"
H 8'-0"	U 0'-0"
I 9'-0"	V 0'-0"
J 10'-0"	W 0'-0"
K 11'-0"	X 0'-0"
L 12'-0"	Y 0'-0"
M 13'-0"	Z 0'-0"
N 14'-0"	AA 0'-0"
O 15'-0"	AB 0'-0"
P 16'-0"	AC 0'-0"
Q 17'-0"	AD 0'-0"
R 18'-0"	AE 0'-0"
S 19'-0"	AF 0'-0"
T 20'-0"	AG 0'-0"
U 21'-0"	AH 0'-0"
V 22'-0"	AI 0'-0"
W 23'-0"	AJ 0'-0"
X 24'-0"	AK 0'-0"
Y 25'-0"	AL 0'-0"
Z 26'-0"	AM 0'-0"
AA 27'-0"	AN 0'-0"
AB 28'-0"	AO 0'-0"
AC 29'-0"	AP 0'-0"
AD 30'-0"	AQ 0'-0"
AE 31'-0"	AR 0'-0"
AF 32'-0"	AS 0'-0"
AG 33'-0"	AT 0'-0"
AH 34'-0"	AU 0'-0"
AI 35'-0"	AV 0'-0"
AJ 36'-0"	AW 0'-0"
AK 37'-0"	AX 0'-0"
AL 38'-0"	AY 0'-0"
AM 39'-0"	AZ 0'-0"
AN 40'-0"	BA 0'-0"
AO 41'-0"	BB 0'-0"
AP 42'-0"	BC 0'-0"
AQ 43'-0"	BD 0'-0"
AR 44'-0"	BE 0'-0"
AS 45'-0"	BF 0'-0"
AT 46'-0"	BG 0'-0"
AU 47'-0"	BH 0'-0"
AV 48'-0"	BI 0'-0"
AW 49'-0"	BJ 0'-0"
AX 50'-0"	BK 0'-0"
AY 51'-0"	BL 0'-0"
AZ 52'-0"	BM 0'-0"
BA 53'-0"	BN 0'-0"
BB 54'-0"	BO 0'-0"
BC 55'-0"	BP 0'-0"
BD 56'-0"	BQ 0'-0"
BE 57'-0"	BR 0'-0"
BF 58'-0"	BS 0'-0"
BG 59'-0"	BT 0'-0"
BH 60'-0"	BU 0'-0"
BI 61'-0"	BV 0'-0"
BJ 62'-0"	BW 0'-0"
BK 63'-0"	BX 0'-0"
BL 64'-0"	BY 0'-0"
BM 65'-0"	BZ 0'-0"
BN 66'-0"	CA 0'-0"
BO 67'-0"	CB 0'-0"
BP 68'-0"	CC 0'-0"
BQ 69'-0"	CD 0'-0"
BR 70'-0"	CE 0'-0"
BS 71'-0"	CF 0'-0"
BT 72'-0"	CG 0'-0"
BU 73'-0"	CH 0'-0"
BV 74'-0"	CI 0'-0"
BW 75'-0"	CJ 0'-0"
BX 76'-0"	CK 0'-0"
BY 77'-0"	CL 0'-0"
BZ 78'-0"	CM 0'-0"
CA 79'-0"	CN 0'-0"
CB 80'-0"	CO 0'-0"
CC 81'-0"	CP 0'-0"
CD 82'-0"	CQ 0'-0"
CE 83'-0"	CR 0'-0"
CF 84'-0"	CS 0'-0"
CG 85'-0"	CT 0'-0"
CH 86'-0"	CU 0'-0"
CI 87'-0"	CV 0'-0"
CJ 88'-0"	CW 0'-0"
CK 89'-0"	CX 0'-0"
CL 90'-0"	CY 0'-0"
CM 91'-0"	CZ 0'-0"
CN 92'-0"	DA 0'-0"
CO 93'-0"	DB 0'-0"
CP 94'-0"	DC 0'-0"
CQ 95'-0"	DD 0'-0"
CR 96'-0"	DE 0'-0"
CS 97'-0"	DF 0'-0"
CT 98'-0"	DG 0'-0"
CU 99'-0"	DH 0'-0"
CV 100'-0"	DI 0'-0"
CW 101'-0"	DJ 0'-0"
CX 102'-0"	DK 0'-0"
CY 103'-0"	DL 0'-0"
CZ 104'-0"	DM 0'-0"
DA 105'-0"	DN 0'-0"
DB 106'-0"	DO 0'-0"
DC 107'-0"	DP 0'-0"
DD 108'-0"	DQ 0'-0"
DE 109'-0"	DR 0'-0"
DF 110'-0"	DS 0'-0"
DG 111'-0"	DT 0'-0"
DH 112'-0"	DU 0'-0"
DI 113'-0"	DV 0'-0"
DJ 114'-0"	DW 0'-0"
DK 115'-0"	DX 0'-0"
DL 116'-0"	DY 0'-0"
DM 117'-0"	DZ 0'-0"
DN 118'-0"	EA 0'-0"
DO 119'-0"	EB 0'-0"
DP 120'-0"	EC 0'-0"
DQ 121'-0"	ED 0'-0"
DR 122'-0"	EE 0'-0"
DS 123'-0"	EF 0'-0"
DT 124'-0"	EG 0'-0"
DU 125'-0"	EH 0'-0"
DV 126'-0"	EI 0'-0"
DW 127'-0"	EJ 0'-0"
DX 128'-0"	EK 0'-0"
DY 129'-0"	EL 0'-0"
DZ 130'-0"	EM 0'-0"
EA 131'-0"	EN 0'-0"
EB 132'-0"	EO 0'-0"
EC 133'-0"	EP 0'-0"
ED 134'-0"	EQ 0'-0"
EE 135'-0"	ER 0'-0"
EF 136'-0"	ES 0'-0"
EG 137'-0"	ET 0'-0"
EH 138'-0"	EU 0'-0"
EI 139'-0"	EV 0'-0"
EJ 140'-0"	EW 0'-0"
EK 141'-0"	EX 0'-0"
EL 142'-0"	EY 0'-0"
EM 143'-0"	EZ 0'-0"
EN 144'-0"	FA 0'-0"
EO 145'-0"	FB 0'-0"
EP 146'-0"	FC 0'-0"
EQ 147'-0"	FD 0'-0"
ER 148'-0"	FE 0'-0"
ES 149'-0"	FF 0'-0"
ET 150'-0"	FG 0'-0"
EU 151'-0"	FH 0'-0"
EV 152'-0"	FI 0'-0"
EW 153'-0"	FJ 0'-0"
EX 154'-0"	FK 0'-0"
EY 155'-0"	FL 0'-0"
EZ 156'-0"	FM 0'-0"
FA 157'-0"	FN 0'-0"
FB 158'-0"	FO 0'-0"
FC 159'-0"	FP 0'-0"
FD 160'-0"	FQ 0'-0"
FE 161'-0"	FR 0'-0"
FF 162'-0"	FS 0'-0"
FG 163'-0"	FT 0'-0"
FH 164'-0"	FU 0'-0"
FI 165'-0"	FV 0'-0"
FJ 166'-0"	FW 0'-0"
FK 167'-0"	FX 0'-0"
FL 168'-0"	FY 0'-0"
FM 169'-0"	FZ 0'-0"
FN 170'-0"	GA 0'-0"
FO 171'-0"	GB 0'-0"
FP 172'-0"	GC 0'-0"
FQ 173'-0"	GD 0'-0"
FR 174'-0"	GE 0'-0"
FS 175'-0"	GF 0'-0"
FT 176'-0"	GG 0'-0"
FU 177'-0"	GH 0'-0"
FV 178'-0"	GI 0'-0"
FW 179'-0"	GJ 0'-0"
FX 180'-0"	GK 0'-0"
FY 181'-0"	GL 0'-0"
FZ 182'-0"	GM 0'-0"
GA 183'-0"	GN 0'-0"
GB 184'-0"	GO 0'-0"
GC 185'-0"	GP 0'-0"
GD 186'-0"	GQ 0'-0"
GE 187'-0"	GR 0'-0"
GF 188'-0"	GS 0'-0"
GG 189'-0"	GT 0'-0"
GH 190'-0"	GU 0'-0"
GI 191'-0"	GV 0'-0"
GJ 192'-0"	GW 0'-0"
GK 193'-0"	GX 0'-0"
GL 194'-0"	GY 0'-0"
GM 195'-0"	GZ 0'-0"
GN 196'-0"	HA 0'-0"
GO 197'-0"	HB 0'-0"
GP 198'-0"	HC 0'-0"
GQ 199'-0"	HD 0'-0"
GR 200'-0"	HE 0'-0"
GS 201'-0"	HF 0'-0"
GT 202'-0"	HG 0'-0"
GU 203'-0"	HH 0'-0"
GV 204'-0"	HI 0'-0"
GW 205'-0"	HJ 0'-0"
GX 206'-0"	HK 0'-0"
GY 207'-0"	HL 0'-0"
GZ 208'-0"	HM 0'-0"
HA 209'-0"	HN 0'-0"
HB 210'-0"	HO 0'-0"
HC 211'-0"	HP 0'-0"
HD 212'-0"	HQ 0'-0"
HE 213'-0"	HR 0'-0"
HF 214'-0"	HS 0'-0"
HG 215'-0"	HT 0'-0"
HH 216'-0"	HU 0'-0"
HI 217'-0"	HV 0'-0"
HJ 218'-0"	HW 0'-0"
HK 219'-0"	HX 0'-0"
HL 220'-0"	HY 0'-0"
HM 221'-0"	HZ 0'-0"
HN 222'-0"	IA 0'-0"
HO 223'-0"	IB 0'-0"
HP 224'-0"	IC 0'-0"
HQ 225'-0"	ID 0'-0"
HR 226'-0"	IE 0'-0"
HS 227'-0"	IF 0'-0"
HT 228'-0"	IG 0'-0"
HU 229'-0"	IH 0'-0"
HV 230'-0"	II 0'-0"
HW 231'-0"	IJ 0'-0"
HX 232'-0"	IK 0'-0"
HY 233'-0"	IL 0'-0"
HZ 234'-0"	IM 0'-0"
IA 235'-0"	IN 0'-0"
IB 236'-0"	IO 0'-0"
IC 237'-0"	IP 0'-0"
ID 238'-0"	IQ 0'-0"
IE 239'-0"	IR 0'-0"
IF 240'-0"	IS 0'-0"
IG 241'-0"	IT 0'-0"
IH 242'-0"	IU 0'-0"
II 243'-0"	IV 0'-0"
IJ 244'-0"	IW 0'-0"
IK 245'-0"	IX 0'-0"
IL 246'-0"	IY 0'-0"
IM 247'-0"	IZ 0'-0"
IN 248'-0"	JA 0'-0"
IO 249'-0"	JB 0'-0"
IP 250'-0"	JC 0'-0"
IQ 251'-0"	JD 0'-0"
IR 252'-0"	JE 0'-0"
IS 253'-0"	JF 0'-0"
IT 254'-0"	JG 0'-0"
IU 255'-0"	JH 0'-0"
IV 256'-0"	JI 0'-0"
IW 257'-0"	JK 0'-0"
IX 258'-0"	JL 0'-0"
IY 259'-0"	JM 0'-0"
IZ 260'-0"	JN 0'-0"
JA 261'-0"	JO 0'-0"
JB 262'-0"	JP 0'-0"
JC 263'-0"	jq 0'-0"
JD 264'-0"	JR 0'-0"
JE 265'-0"	JS 0'-0"
JF 266'-0"	JT 0'-0"
JG 267'-0"	JU 0'-0"
JH 268'-0"	JV 0'-0"
JI 269'-0"	JW 0'-0"
JK 270'-0"	JX 0'-0"
JL 271'-0"	JY 0'-0"
JM 272'-0"	JZ 0'-0"
JN 273'-0"	KA 0'-0"
JO 274'-0"	KB 0'-0"
JP 275'-0"	KC 0'-0"
jq 276'-0"	KD 0'-0"
JR 277'-0"	KE 0'-0"
JS 278'-0"	KF 0'-0"
JT 279'-0"	KG 0'-0"
JU 280'-0"	KH 0'-0"
JV 281'-0"	KI 0'-0"
JW 282'-0"	KJ 0'-0"
JX 283'-0"	KL 0'-0"
JY 284'-0"	KM 0'-0"
JZ 285'-0"	KN 0'-0"
KA 286'-0"	KO 0'-0"
KB 287'-0"	KP 0'-0"
KC 288'-0"	KQ 0'-0"
KD 289'-0"	KR 0'-0"
KE 290'-0"	KS 0'-0"
KF 291'-0"	KT 0'-0"
KG 292'-0"	KU 0'-0"
KH 293'-0"	KV 0'-0"
KI 294'-0"	KW 0'-0"
KJ 295'-0"	KX 0'-0"
KL 296'-0"	KY 0'-0"
KM 297'-0"	KZ 0'-0"
KN 298'-0"	LA 0'-0"
KO 299'-0"	LB 0'-0"
KP 300'-0"	LC 0'-0"
KQ 301'-0"	LD 0'-0"
KR 302'-0"	LE 0'-0"
KS 303'-0"	LF 0'-0"
KT 304'-0"	LG 0'-0"
KU 305'-0"	LH 0'-0"
KV 306'-0"	LI 0'-0"
KW 307'-0"	LJ 0'-0"
KX 308'-0"	LK 0'-0"
KY 309'-0"	LM 0'-0"
KZ 310'-0"	LN 0'-0"
LA 311'-0"	LO 0'-0"
LB 312'-0"	LP 0'-0"
LC 313'-0"	LQ 0'-0"
LD 314'-0"	LR 0'-0"
LE 315'-0"	LS 0'-0"
LF 316'-0"	LT 0'-0"
LG 317'-0"	LU 0'-0"
LH 318'-0"	LV 0'-0"
LI 319'-0"	LW 0'-0"
LJ 320'-0"	LX 0'-0"
LK 321'-0"	LY 0'-0"
LM 322'-0"	LZ 0'-0"
LN 323'-0"	MA 0'-0"
LO 324'-0"	MB 0'-0"
LP 325'-0"	MC 0'-0"
LQ 326'-0"	MD 0'-0"
LR 327'-0"	ME 0'-0"
LS 328'-0"	MF 0'-0"
LT 329'-0"	MG 0'-0"
LU 330'-0"	MH 0'-0"
LV 331'-0"	MI 0'-0"
LW 332'-0"	MI 0'-0"
LX 333'-0"	MJ 0'-0"
LY 334'-0"	MK 0'-0"
LZ 335'-0"	ML 0'-0"
MA 336'-0"	MM 0'-0"
MB 337'-0"	MN 0'-0"
MC 338'-0"	MO 0'-0"
MD 339'-0"	MP 0'-0"
ME 340'-0"	MQ 0'-0"
MF 341'-0"	MR 0'-0"
MG 342'-0"	MS 0'-0"
MH 343'-0"	MT 0'-0"
MI 344'-0"	MU 0'-0"
MI 345'-0"	MV 0'-0"
MJ 346'-0"	MW 0'-0"
MK 347'-0"	MX 0'-0"
ML 348'-0"	MY 0'-0"
MM 349'-0"	MZ 0'-0"
MN 350'-0"	NA 0'-0"
MO 351'-0"	NB 0'-0"
MP 352'-0"	NC 0'-0"
MQ 353'-0"	ND 0'-0"
MR 354'-0"	NE 0'-0"
MS 355'-0"	NF 0'-0"
MT 356'-0"	NG 0'-0"
MU 357'-0"	NH 0'-0"
MV 358'-0"	NI 0'-0"
MW 359'-0"	NJ 0'-0"
MX 360'-0"	NK 0'-0"
MY 361'-0"	NL 0'-0"
MZ 362'-0"	NM 0'-0"
NA 363'-0"	NO 0'-0"
NB 364'-0"	NP 0'-0"
NC 365'-0"	NQ 0'-0"
ND 366'-0"	NR 0'-0"
NE 367'-0"	NS 0'-0"
NF	