

From: Robert Barnett
To: mjDavis@howardcountymd.gov
Date: 7/6/2007 1:53 PM
Subject: Failing Septic

In response to a complaint, we found what looks like a failed septic system running into a stream just above the Patapsco River at 734 Marriottsville Road. Would you be the one to handle a complaint like this? If not, let me know who I should contact. Thanks.

Ramat -
(H10) 206-8572

Home owners:

Panfilo Jimenez

(cell) 443-864-8280

7/6/07

3 pm Arrived on site.

3:30 pm left site.

MDE

Michael R. Patt

301-665-2871

From: Robert Barnett
To: Davis, Michael J.
Date: 7/9/2007 3:01 PM
Subject: Re: Failing Septic

The neighbor who called is Annette Essey, 724 Marriottsville, 410-442-2177.

>>> Michael J. Davis 7/6/2007 4:39 PM >>>

We have been out to the site and met with the owners daughter (on-site) and the owner (phone). The owner has been instructed to pump the system as needed to prevent overflows until he can find a septic contractor to replace the system. The owner agreed to call us Monday to report his progress. Please have the neighbor call me directly with future complaints if the system continues to overflow. We can keep her or him anonymous if that is a concern.

Mike
x2651

>>> Robert Barnett 7/6/2007 2:10 PM >>>


If you just pass it along to me, I will respond to the neighbor that reported it. Thanks.

>>> Michael J. Davis 7/6/2007 2:05 PM >>>

Yes, you have the correct contact. Do you have anyone I need to follow up with after we inspect the property.

>>> Robert Barnett 7/6/2007 1:53 PM >>>

In response to a complaint, we found what looks like a failed septic system running into a stream just above the Patapsco River at 734 Marriottsville Road. Would you be the one to handle a complaint like this? If not, let me know who I should contact. Thanks.



Bureau of Environmental Health
7178 Columbia Gateway Drive, Columbia, MD 21046
(410) 313-2640 Fax (410) 313-2648
TDD (410) 313-2323 Toll Free 1-866-313-6300
website: www.hchealth.org

Peter L. Beilenson, M.D., M.P.H., Health Officer

NOTICE OF VIOLATION

HAND CARRY/REGULAR MAIL

June 29, 2009

Panfilo Jimenez
734 Marriottsville Road
Marriottsville, Maryland 21104-1310

RE: **Grey water/sewage discharge/septic system failure**
734 Marriottsville Road

Dear Mr. Jimenez:

On June 9, 2009, our office received a complaint regarding a possible septic failure/discharge into the stream behind your property. On this same day, Hank Oswald and I conducted an inspection of the property and found what appeared to be a grey water/sewage discharge in the wooded area behind your sheds and running into the stream. There was also a strong odor in this area.

On June 12, 2009, Hank Oswald sent you a letter in order to schedule an inspection of the property. This was scheduled for June 22, 2009. At this inspection, 2 dye tests were performed. A yellow dye was flushed down the toilet and a red dye was entered into the laundry washer drain. The yellow dye appeared at the septic tank 6" cleanout and overflowed onto the ground. After about an hour, the red dye appeared in the wooded area and ran into the stream. **These tests indicate that the septic system is failing and the grey water from the washing machine is illegally being directly discharged onto the ground and into the stream.**

Health Department records indicate the same complaint was reported in July 2007. At that time you were required to hook the grey water line from the washing machine to the septic tank and this connection was observed and inspected on July 17, 2007. Also, you indicated at the time of the June 22, 2009 inspection that you had disconnected this grey water line to the septic tank and installed a terra cotta line, as a drain for the washing machine, running towards and ultimately entering the stream.

*Kevin delivered by hand
6/30/09*

Based on the above inspection and information, you did knowingly disconnect and reestablish an illegal grey water (washing machine) discharge following a repair to the system for the same issue last July 2007. This discharge is impacting the nearby stream and could also be impacting neighboring properties in violation of Howard County Code **Section 3.804. General provisions. (a) Disposal Methods. (3) On-site Sewage Disposal Systems.** Water-carried sewage from bathrooms, kitchens, laundry fixtures, and other household plumbing shall pass through a septic or other approved sedimentation tank prior to its discharge into the soil. Where conventional sewage disposal systems are feasible, consideration may be given to non-conventional methods of collection, treatment, and disposal. A food waste grinder connected to a sink may not be connected to a domestic on-site sewage disposal system. It is the owners responsibility to maintain an on-site sewage disposal system as installed and avoid creation of a public nuisance. Also in violation of **Section 12.110. Nuisances. (a) Definition (2)** A nuisance includes water pollution, contaminated wells, open and abandoned wells, overflowing sewage, infestation with insects, vermin or rodents, unclean facilities for domestic animals and poultry, air pollution, improper refuse disposal, a hazard caused by the presence of lead paint or lead paint dust, or violations of food establishment regulations adopted pursuant to the subtitle. Also, **Section 12.106. On-site sewage disposal; public swimming pools and spas. (a) On-site Sewage Disposal (1) Permit required.** No on-site sewage disposal system shall be constructed, altered, or caused to receive an increase in flow unless the County Health Officer has issued a health permit for its construction, alteration or increased flow. Also, **Section 3.804. General Provisions. (b) Responsibility.** Any person who owns, installs, alters, or constructs an on-site sewage disposal system including, but not limited to, an owner, plumbing contractor, or sewage disposal system contractor, are jointly and severally responsible for compliance with this subtitle and for fulfilling the requirements of the design for the construction, addition, or alteration of on-site sewage disposal systems approved by the approving authority. **Because this is a repeat offense, the Department is issuing you a civil citation (see enclosed).**


Moving forward, you must apply for a septic repair permit within 5 days of receipt of this notice, schedule perc testing, and repair the on-site sewage disposal system (OSDS) within 30 days. You are responsible for maintaining the OSDS so it does not overflow. This may require the tank to be pumped out on a regular basis by a licensed sewage scavenger. You should contact a septic contractor to assist in this perc testing. We can provide assistance and/or names if needed. Based upon this analysis, a more long term repair to you septic system can hopefully be completed and installed.

Also, we recommend that you contact the Maryland Department of the Environment about the following programs. The Bay Restoration Fund provides up to 100% grant funding to upgrade septic tanks. The contact person is John Boris at 410-537-3678. The Linked Deposit Program provides a source of low-interest financing for homeowners to repair or replace failing on-site septic systems. The contact person is Jag Khuman at 410-537-3119.

If you believe that the condition described above is not and could not be a hazard to health, or that the Health Department is not acting in compliance with pertinent laws and regulations, you may request a formal hearing before the Board of Health within 10 (ten) days of receipt of this letter. All requests are to be made in writing and directed to the Executive Secretary of the Board of Health at the above address.

If you have any questions regarding this letter, please call me at 410-313-1771.

Sincerely,



Stuart F. Oster, R.S.
Groundwater Protection Section
Well and Septic Program

Cc: Department of Inspections, Licenses and Permits
Executive Secretary, Board of Health
File



HOWARD COUNTY
HEALTH DEPARTMENT
Bureau of Environmental Health
7178 Columbia Gateway Drive
Columbia, MD 21046

Panfilo Jimenez
734 Marriottsville Road
Marriottsville, Maryland 21104-1310





6Z33129732

UNIFORM MUNICIPAL INFRACTION/
CIVIL CITATION

District Court of Maryland for Howard County (Hand Carry) 6/30/09

County/Municipality/State of Maryland Health Department
vs.
Defendant's (Last) Name Perfilo First Middle
Current Address in Full 734 Harriottsville Road
Harriottsville, MD 21104 City State Zip Code

DOB Height Weight Sex Race Hair Eyes

Related Citations Telephone No. Day: Night:

It is formally charged that the above named defendant on June 22 10 2009
at 11:00 AM of 734 Harriottsville Rd. 21104
Harriottsville, MD 21104 Location Howard County, Maryland
did inappropriately disconnect & reestablish an illegal grey
water (washing machine) discharge following a repair
to the system for the same issue in July 2007.
Discharge impacting neighboring property & stream in
violation of county code & continuing

This citation is based upon an affidavit of (See attached.)

In violation of: Md. Ann. Code COMAR Municipal Ordinance/Public Local Law/Local Code

Document/Article Section Sub Section Paragraph

I sign my name as a receipt of a copy of this Citation and not as an admission of guilt. I will comply with the requirements set forth in this Citation.

Defendant's Signature

YOU MUST EITHER ELECT TO STAND TRIAL OR PAY A FINE.

NOTE: Failure to either pay the fine or request a trial date by the below mentioned date will deem you liable for the fine assessed. The fine may be doubled and a judgment on affidavit entered against you including an Order of Abatement.

OR If you request a trial date and then fail to appear in Court, the fine may be doubled and a judgment on affidavit may be entered against you.

YOU MAY PAY A FINE OF \$ 100.00 BY 7/20 19 2009 AT (Payment Location) 734 Blvd. 21045

THIS WILL BE DEEMED AN ADMISSION OF GUILT AND NO TRIAL DATE WILL BE SET OR

IF YOU ELECT TO STAND TRIAL, DO NOT FORWARD PAYMENT OF THE FINE, BUT YOU MUST NOTIFY IN WRITING 734 Blvd. 21045

AND THE DISTRICT COURT WILL NOTIFY YOU OF A TRIAL DATE AND LOCATION.

IN ADDITION, 7/12/09
I AM SEEKING ABATEMENT OF THIS INFRACTION. YOU MAY BE ORDERED TO ABATE THIS INFRACTION OR BE ASSESSED THE COSTS FOR THE ABATEMENT, AS WELL AS A FINE OF UP TO \$1,000, PLUS COURT COSTS. FAILURE TO APPEAR SHALL RESULT IN JUDGMENT ON AFFIDAVIT.

YOU MUST APPEAR IN COURT: A court date will be sent to you by mail.

YOU MAY ELECT TO STAND TRIAL OR YOU MAY ELECT TO PAY A PRESET FINE OF \$..... to the District Court of Maryland at

and AVOID TRIAL. A court date will be sent to you by mail. Payment must be made on or before the scheduled trial date.

AFTER TRIAL the Court may impose a fine up to \$..... plus court costs.

FAILURE TO APPEAR OR, IF PERMITTED, PAY THE PRESET FINE LISTED ABOVE, WILL RESULT IN A WARRANT BEING ISSUED FOR YOUR ARREST.

I solemnly affirm under the penalties of perjury, and upon personal knowledge or based on the affidavit, that the contents of this citation are true and that I am competent to testify on these matters. The defendant is not now in the military service, as defined in the Soldier's and Sailor's Civil Relief Act of 1940 with amendments, nor has been in such service within thirty days hereof.

Officer's Signature [Signature] Date 6/29/09

Agency Sub-Agency I.D. No. Phone

Municipal Infractions

Civil/Code Violations

7 # 0110035155

6Z33129732

UNIFORM MUNICIPAL INFRACTION/
CIVIL CITATION

6/30/09

District Court of Maryland for Howard County (Hand Carry)

County/Municipality/State of Maryland Health Department
Agency

vs. Timothy Penfile
Defendant's (Last) Name First Middle

734 Marriottsville Road
Current Address in Full

Marriottsville, MD 21104
City State Zip Code

DOB Height Weight Sex Race Hair Eyes

Related Citations Telephone No. Day: Night:

It is formally charged that the above named defendant on June 22, 192009
at 11:00 AM at 734 Marriottsville Rd, 21104
Marriottsville, MD 21104 Location Howard County, Maryland
did knowingly disconnect & reestablish an illegal grey
water (washing machine) discharge following a repair
to the system for the same issue in July 2007,
discharge impacting neighboring property & stream in
violation of county code & continuing

This citation is based upon an affidavit of _____ (See attached)

In violation of: Md. Ann. Code COMAR Municipal Ordinance/Public Local Law/Local Code

Document/Article Section Sub Section Paragraph

Howard Co. Code 2.804(a)(3) and 2.804(b)
I sign my name as a receipt of a copy of this Citation and not as an admission of guilt. I will comply with the requirements set forth in this Citation.

Defendant's Signature

YOU MUST EITHER ELECT TO STAND TRIAL OR PAY A FINE.
NOTE: Failure to either pay the fine or request a trial date by the below mentioned date will deem you liable for the fine assessed, the fine may be doubled and a judgment on affidavit entered against you including an Order of Abatement.
OR If you request a trial date and then fail to appear in Court, the fine may be doubled and a judgment on affidavit may be entered against you.
YOU MAY PAY A FINE OF \$ 100.00 BY 7/20, 19 2009 AT (Payment Location) 2220 Stanford Blvd. 21104
THIS WILL BE DEEMED AN ADMISSION OF GUILT AND NO TRIAL DATE WILL BE SET OR
IF YOU ELECT TO STAND TRIAL, DO NOT FORWARD PAYMENT OF THE FINE, BUT YOU MUST NOTIFY IN WRITING 2992 Stanford Blvd. 21045
AND THE DISTRICT COURT WILL NOTIFY YOU OF A TRIAL DATE AND LOCATION.
 IN ADDITION, Howard County Health Dept. by 7/13/09
IS SEEKING ABATEMENT OF THIS INFRACTION. YOU MAY BE ORDERED TO ABATE THIS INFRACTION OR BE ASSESSED THE COSTS FOR THE ABATEMENT, AS WELL AS A FINE OF UP TO \$1,000. PLUS COURT COSTS. FAILURE TO APPEAR SHALL RESULT IN JUDGMENT ON AFFIDAVIT.

YOU MUST APPEAR IN COURT: A court date will be sent to you by mail.
 YOU MAY ELECT TO STAND TRIAL OR YOU MAY ELECT TO PAY A PRESET FINE OF \$ _____, to the District Court of Maryland at _____ and AVOID TRIAL. A court date will be sent to you by mail. Payment must be made on or before the scheduled trial date.
AFTER TRIAL the Court may impose a fine up to \$ _____ plus court costs.
FAILURE TO APPEAR OR, IF PERMITTED, PAY THE PRESET FINE LISTED ABOVE, WILL RESULT IN A WARRANT BEING ISSUED FOR YOUR ARREST.

I solemnly affirm under the penalties of perjury, and upon personal knowledge or based on the affidavit, that the contents of this citation are true and that I am competent to testify on these matters. The defendant is not now in the military service, as defined in the Soldier's and Sailor's Civil Relief Act of 1940 with amendments, nor has been in such service within thirty days hereof.

Officer's Signature [Signature] Date 6/29/09

Agency Sub-Agency I.D. No. Phone

Bureau of Environmental Health (410)313-1771

DC 28 (Rev. 10/94) MUNICIPALITY'S COPY

Municipal Infractions

Civil Code Violations

6/9/09
Report of septic failure -
trench into a stream/
creek.

Reportedly 2 families at
734 Marrotsville (11
people) have failure -

Neighbor - Annette Essey
732 Marrotsville Rd
410 493 9317 called this
into County

did knowingly
disconnect and
reestablish an
illegal grey water
(washer machine)
discharge following a
repair to system for
some issue last
Discharge up party neighbors
property and stream in

violation of county
code & continuing

MESSAGE

TELEPHONED	PLEASE CALL
CAME TO SEE YOU	WILL CALL AGAIN
WANTS TO SEE YOU	RUSH
RETURNED YOUR CALL	SPECIAL ATTENTION

FOR _____
 DATE _____ TIME _____
 A.M. P.M.
 PHONE _____
 AREA CODE _____ NUMBER _____ EXTENSION _____
 MOBILE
 FAX
 AREA CODE _____ NUMBER _____ TIME TO CALL _____

IMPORTANT MESSAGE



UNIFORM MUNICIPAL INFRACTION/
CIVIL CITATION

6Z33129732

District Court of Maryland for Howard County (Hand Carry)

County/Municipality/State of Maryland Health Department
Agency

vs. Jimenez Panfilo
Defendant's (Last) Name First Middle

734 Marriottsville Road
Current Address in Full

Marriottsville, MD 21104
City State Zip Code

DOB Height Weight Sex Race Hair Eyes

Related Citations Telephone No. Day: Night:

It is formally charged that the above named defendant on June 22, 2009
at 11:00 A.M. at 734 Marriottsville Rd. 21104
Marriottsville, MD 21104 Location Howard County, Maryland
did knowingly disconnect & reestablish an illegal grey
water (washing machine) discharge following a repair
to the system for the same issue in July 2007.
Discharge impacting neighboring property & stream in
violation of county code & continuing

This citation is based upon an affidavit of (See attached.)
In violation of: Md. Ann. Code COMAR Municipal Ordinance/Public Local Law/Local Code

Document/Article Section Sub Section Paragraph
Howard Co. Code 3.804(a)(3) and 3.804(b)

I sign my name as a receipt of a copy of this Citation and not as an admission of guilt. I will comply with the requirements set forth in this Citation.
 Defendant's Signature

YOU MUST EITHER ELECT TO STAND TRIAL OR PAY A FINE.
NOTE: Failure to either pay the fine or request a trial date by the below mentioned date will deem you liable for the fine assessed, the fine may be doubled and a judgment on affidavit entered against you including an Order of Abatement.
OR If you request a trial date and then fail to appear in Court, the fine may be doubled and a judgment on affidavit may be entered against you.
YOU MAY PAY A FINE OF \$0.00... BY 7/20... 19.2009 AT (Payment Location) Office of Finance, 8930 Stanford Blvd., 2104
THIS WILL BE DEEMED AN ADMISSION OF GUILT AND NO TRIAL DATE WILL BE SET. OR
IF YOU ELECT TO STAND TRIAL, DO NOT FORWARD PAYMENT OF THE FINE, BUT YOU MUST NOTIFY IN WRITING Director of Finance, 8930 Stanford Blvd., 21045
AND THE DISTRICT COURT WILL NOTIFY YOU OF A TRIAL DATE AND LOCATION.
 IN ADDITION, Howard County Health Dept. by 7/13/09
IS SEEKING ABATEMENT OF THIS INFRACTION. YOU MAY BE ORDERED TO ABATE THIS INFRACTION OR BE ASSESSED THE COSTS FOR THE ABATEMENT, AS WELL AS A FINE OF UP TO \$1,000, PLUS COURT COSTS. FAILURE TO APPEAR SHALL RESULT IN JUDGMENT ON AFFIDAVIT.

YOU MUST APPEAR IN COURT: A court date will be sent to you by mail.
 YOU MAY ELECT TO STAND TRIAL OR YOU MAY ELECT TO PAY A PRESET FINE OF \$....., to the District Court of Maryland at
and AVOID TRIAL. A court date will be sent to you by mail. Payment must be made on or before the scheduled trial date.
AFTER TRIAL the Court may impose a fine up to \$ plus court costs.
FAILURE TO APPEAR OR, IF PERMITTED, PAY THE PRESET FINE LISTED ABOVE, WILL RESULT IN A WARRANT BEING ISSUED FOR YOUR ARREST.

I solemnly affirm under the penalties of perjury, and upon personal knowledge or based on the affidavit, that the contents of this citation are true and that I am competent to testify on these matters. The defendant is not now in the military service, as defined in the Soldier's and Sailor's Civil Relief Act of 1940 with amendments, nor has been in such service within thirty days hereof.

Officer's Signature Stuart Oster Date 6/29/09
Agency Sub-Agency I.D. No. Phone

Bureau of Environmental Health (410)313-1771
DC 28 (Rev. 10/94) MUNICIPALITY/COURT COPY

Acct # 0110035155

6Z33129732

UNIFORM MUNICIPAL INFRACTION/

CIVIL CITATION

District Court of Maryland for Howard County (Hand Carry)

County/Municipality/State of Maryland Health Department Agency

VS. Jimenez Panfilo Middle

Defendant's (Last) Name

734 Marriottsville Road Current Address in Full

Marriottsville, MD 21104 City State Zip Code

DOB Height Weight Sex Race Hair Eyes

Resided Offices Telephone No. Day Night

It is formally charged that the above named defendant on JUNE 22 62009 at 11:00 AM at 734 Marriottsville Rd, 21104 Marriottsville, MD 21104 Howard County, Maryland knowingly disconnect & reestablish an illegal grey water (washing machine) discharge following a repair to the system for the same issue in July 2007. Discharge impacting neighboring property & stream in violation of county code & continuing

This citation is based upon an affidavit of _____ (See attached) in violation of: Md. Ann. Code COMARY Municipal Ordinance/Public Local Law/Local Code

Document/Article Section Sub Section Paragraph

Howard Co. Code 2-804(a)(3) and 2-804(b)

I sign my name as a receipt of a copy of this Citation and not as an admission of guilt. I will comply with the requirements set forth in this Citation.

Defendant's Signature

YOU MUST EITHER ELECT TO STAND TRIAL OR PAY A FINE.

NOTE: Failure to either pay the fine or request a trial date by the below mentioned date will deem you liable for the fine assessed. The fine may be doubled and a judgment on affidavit entered against you including an Order of Abatement.

OR If you request a trial date and then fail to appear in Court, the fine may be doubled and a judgment on affidavit may be entered against you.

YOU MAY PAY A FINE OF \$100.00 BY 7/20 7/20/09 AT (Payment Location) Office of Finance, 8930 Stanford Blvd, 21045

THIS WILL BE DEEMED AN ADMISSION OF GUILT AND NO TRIAL DATE WILL BE SET OR IF YOU ELECT TO STAND TRIAL, DO NOT FORWARD PAYMENT OF THE FINE, BUT YOU MUST NOTIFY IN WRITING Office of Finance, 8930 Stanford Blvd, 21045 AND THE DISTRICT COURT WILL NOTIFY YOU OF A TRIAL DATE AND LOCATION.

IN ADDITION, Howard County Health Dept, by 7/13/09 IS SEEKING ABATEMENT OF THIS INFRACTION. YOU MAY BE ORDERED TO ABATE THIS INFRACTION OR BE ASSESSED THE COSTS FOR THE ABATEMENT, AS WELL AS A FINE OF UP TO \$1,000, PLUS COURT COSTS. FAILURE TO APPEAR SHALL RESULT IN JUDGMENT ON AFFIDAVIT.

YOU MUST APPEAR IN COURT: A court date will be sent to you by mail.

YOU MAY ELECT TO STAND TRIAL OR YOU MAY ELECT TO PAY A PRESET FINE OF \$ _____ to the District Court of Maryland at _____ and AVOID TRIAL. A court date will be sent to you by mail. Payment must be made on or before the scheduled trial date. AFTER TRIAL the Court may impose a fine up to \$ _____ plus court costs. FAILURE TO APPEAR OR, IF PERMITTED, PAY THE PRESET FINE LISTED ABOVE, WILL RESULT IN A WARRANT BEING ISSUED FOR YOUR ARREST.

I solemnly affirm under the penalties of perjury, and upon personal knowledge or based on the affidavit, that the contents of this citation are true and that I am competent to testify on these matters. The defendant is not now in the military service, as defined in the Soldier's and Sailor's Civil Relief Act of 1940 with amendments, nor has been in such service within thirty days hereof.

Officer's Signature [Signature] Date 6/29/09

Agency Sub-Agency I.D. No. Page

6232
6Z33129732

UNIFORM MUNICIPAL INFRACTION/
CIVIL CITATION

District Court of Maryland for Howard County (Hand Carry) NOTICE TO DEFENDANT

County/Municipality/State of Maryland Health Department Agency

vs. Jimenez Panfilo

Defendant's (Last) Name Jimenez First Panfilo Middle

734 Marriottsville Road

Current Address in Full

Marriottsville, MD 21104

City State Zip Code

DOB Height Weight Sex Race Hair Eyes

Related Citations Telephone No. Day: Night:

It is formally charged that the above named defendant on June 22 2009
 at 11:00 AM at 734 Marriottsville Rd. 21104
Marriottsville, MD 21104 Location Howard County, Maryland
 knowingly disconnect & reestablish an illegal grey
 water (washing machine) discharge following a repair
 to the system for the same issue in July 2007.
 Discharge impacting neighboring property & stream in
 violation of county code & continuing

This citation is based upon an affidavit of (See attached.)

In violation of: Md. Ann. Code COMARY Municipal Ordinance/Public Local Law/Local Code

Document/Article Section Sub Section Paragraph

Howard Co. Code 3.804(a)(3) and 3.804(b)

I sign my name as a receipt of a copy of this Citation and not as an admission of guilt. I will comply with the requirements set forth in this Citation.

Defendant's Signature

YOU MUST EITHER ELECT TO STAND TRIAL OR PAY A FINE.

NOTE: Failure to either pay the fine or request a trial date by the below mentioned date will deem you liable for the fine assessed, the fine may be doubled and a judgment on affidavit entered against you including an Order of Abatement.

OR If you request a trial date and then fail to appear in Court, the fine may be doubled and a judgment on affidavit may be entered against you.

YOU MAY PAY A FINE OF 100.00 BY 7/20 19.2009 AT (Payment Location) Office of Finance 8930 Stanford Blvd. 21104

THIS WILL BE DEEMED AN ADMISSION OF GUILT AND NO TRIAL DATE WILL BE SET. OR

IF YOU ELECT TO STAND TRIAL DO NOT FORWARD PAYMENT OF THE FINE, BUT YOU MUST NOTIFY IN WRITING Director of Finance 8930 Stanford Blvd. 21045 AND THE DISTRICT COURT WILL NOTIFY YOU OF A TRIAL DATE AND LOCATION.

IN ADDITION Howard County Health Dept. by 7/13/09 IS SEEKING ABATEMENT OF THIS INFRACTION. YOU MAY BE ORDERED TO ABATE THIS INFRACTION OR BE ASSESSED THE COSTS FOR THE ABATEMENT, AS WELL AS A FINE OF UP TO \$1,000, PLUS COURT COSTS. FAILURE TO APPEAR SHALL RESULT IN JUDGMENT ON AFFIDAVIT.

YOU MUST APPEAR IN COURT: A court date will be sent to you by mail.

YOU MAY ELECT TO STAND TRIAL OR YOU MAY ELECT TO PAY A PRESET FINE OF \$..... to the District Court of Maryland at

and AVOID TRIAL A court date will be sent to you by mail. Payment must be made on or before the scheduled trial date.

AFTER TRIAL the Court may impose a fine up to \$..... plus court costs.

FAILURE TO APPEAR OR, IF PERMITTED, PAY THE PRESET FINE LISTED ABOVE, WILL RESULT IN A WARRANT BEING ISSUED FOR YOUR ARREST.

I solemnly affirm under the penalties of perjury, and upon personal knowledge or based on the affidavit, that the contents of this citation are true and that I am competent to testify on these matters. The defendant is not now in the military service, as defined in the Soldier's and Sailor's Civil Relief Act of 1940 with amendments, nor has been in such service within thirty days hereof.

Officer's Signature [Signature] Date 6/29/09

Agency Sub-Agency I.D. No. Phone



UNIFORM MUNICIPAL INFRACTION/

CIVIL CITATION

6Z33129732

District Court of Maryland for Howard County (Hand Carry)

County/Municipality/State of Maryland Health Department Agency

vs. Jimenez Panfilo Defendant's (Last) Name First Middle

734 Marriotttsville Road Current Address in Full

Marriotttsville, MD 21104 City State Zip Code

DOB Height Weight Sex Race Hair Eyes

Related Citations Telephone No. Day: Night:

It is formally charged that the above named defendant on June 22, 2009 at 11:00 AM at 734 Marriotttsville Rd. 21104 Marriotttsville, MD 21104 Location Howard County, Maryland did knowingly disconnect & reestablish an illegal grey water (washing machine) discharge following a repair to the system for the same issue in July 2007. Discharge impacting neighboring property & stream in violation of county code & continuing

This citation is based upon an affidavit of (See attached)

In violation of: Md. Ann. Code COMAR Municipal Ordinance/Public Local Law/Local Code

Document/Article Section Sub Section Paragraph

Howard Co. Code 3.804(a)(3) and 3.804(b)

I sign my name as a receipt of a copy of this Citation and not as an admission of guilt. I will comply with the requirements set forth in this Citation.


X Defendant's Signature

Municipal Infractions YOU MUST EITHER ELECT TO STAND TRIAL OR PAY A FINE. NOTE: Failure to either pay the fine or request a trial date by the below mentioned date will deem you liable for the fine assessed, the fine may be doubled and a judgment on affidavit entered against you including an Order of Abatement. OR If you request a trial date and then fail to appear in Court, the fine may be doubled and a judgment on affidavit may be entered against you. YOU MAY PAY A FINE OF \$0.00 BY 7/20/09 AT (Payment Location) Office of Finance, 8930 Stanford Blvd., 2104 THIS WILL BE DEEMED AN ADMISSION OF GUILT AND NO TRIAL DATE WILL BE SET. OR IF YOU ELECT TO STAND TRIAL, DO NOT FORWARD PAYMENT OF THE FINE, BUT YOU MUST NOTIFY IN WRITING Director of Finance, 8930 Stanford Blvd., 21045 AND THE DISTRICT COURT WILL NOTIFY YOU OF A TRIAL DATE AND LOCATION. X IN ADDITION, Howard County Health Dept. by 7/13/09 IS SEEKING ABATEMENT OF THIS INFRACTION. YOU MAY BE ORDERED TO ABATE THIS INFRACTION OR BE ASSESSED THE COSTS FOR THE ABATEMENT, AS WELL AS A FINE OF UP TO \$1,000, PLUS COURT COSTS. FAILURE TO APPEAR SHALL RESULT IN JUDGMENT ON AFFIDAVIT.

Civil/Code Violations YOU MUST APPEAR IN COURT: A court date will be sent to you by mail. YOU MAY ELECT TO STAND TRIAL OR YOU MAY ELECT TO PAY A PRESET FINE OF \$ to the District Court of Maryland at and AVOID TRIAL. A court date will be sent to you by mail. Payment must be made on or before the scheduled trial date. AFTER TRIAL the Court may impose a fine up to \$ plus court costs. FAILURE TO APPEAR OR, IF PERMITTED, PAY THE PRESET FINE LISTED ABOVE, WILL RESULT IN A WARRANT BEING ISSUED FOR YOUR ARREST.

I solemnly affirm under the penalties of perjury, and upon personal knowledge or based on the affidavit, that the contents of this citation are true and that I am competent to testify on these matters. The defendant is not now in the military service, as defined in the Soldier's and Sailor's Civil Relief Act of 1940 with amendments, nor has been in such service within thirty days hereof.

Officer's Signature (Stuart Oster) Date 6/29/09 Agency Sub-Agency I.D. No. Phone



Bureau of Environmental Health
7178 Gateway Drive Columbia, MD 21046
(410) 313-2640 Fax (410) 313-2648
TDD (410) 313-2323 Toll Free 1-866-313-6300
website: www.hchealth.org

Peter L. Beilenson, M.D., M.P.H., Health Officer

June 12, 2009

Jimenez Panfilo
734 Marriottsville Road
Marriottsville, MD 21104

Re: **Sewage Discharge**
734 Marriottsville Road

Dear Mr. Panfilo:

On June 9, 2009 this office received information about a sewage discharge coming from your property. The complainant indicated that a strong sewage like smell was detected late Monday June 8th and later discovered what appears to be a grey water/sewage discharge in the wooded area behind your sheds adjacent the stream.

In response to this concern, an inspection was performed on June 9, 2009. The inspection confirmed a discharge in the aforementioned location. The discharge was grey in color and smelled of sewage. This office believes that this discharge may be coming from the septic system and/or a direct line discharge on your property.

Based on these observations, this situation is considered a nuisance under section 12.110 of the Howard County Code. The responsibility for the abatement of the nuisance belongs to the person (s) who own or rent the property on which the nuisance occurs (or is created). The septic discharge must be abated.

This office requires an inspection of your property in the presence of a property owner to determine the source of the discharge. This inspection needs to be scheduled within 5 days of receipt (or posting) of this letter to avoid any immediate penalties as outlined in the county code. An effort should also be made to have someone present who speaks and understands English to assist in the inspection discussions.

To schedule an appointment, please contact Stuart Oster (410) 313 – 1788 and/or myself at (410) 313 – 1786 Monday through Friday between the hours of 8 and 4:30 p.m.

Sincerely,

Hank Oswald, Environmental Sanitarian Program Supervisor
Bureau of Environmental Health
Community Hygiene Program

Cc: Stuart Oster, Well & Septic Program



Account Identifier: District - 03 Account Number - 294293

Owner Information

Owner Name: JIMENEZ PANFILO Use: RESIDENTIAL
 Principal Residence: YES
 Mailing Address: 734 MARRIOTTSVILLE RD Deed Reference: 1) / 8575/ 357
 MARRIOTTSVILLE MD 21104-1310 2)

Location & Structure Information

Premises Address: 734 MARRIOTTSVILLE RD
 MARRIOTTSVILLE 21104
 Legal Description: .515 A
 734 MARRIOTTSVILLE RD
 MARRIOTTSVILLE

Map	Grid	Parcel	Sub District	Subdivision	Section	Block	Lot	Assessment Area	Plat No:
5	22	13						1	Plat Ref:

Special Tax Areas: Town Ad Valorem Tax Class NO A/V, RURAL FIRE TAX

Primary Structure Built	Enclosed Area	Property Land Area	County Use
1920	1,128 SF	22,433.00 SF	
Stories: 1 1/2	Basement: NO	Type: STANDARD UNIT	Exterior: FRAME

Value Information

	Base Value	Value		
		As Of 01/01/2007	As Of 07/01/2008	As Of 07/01/2009
Land	138,830	248,630		
Improvements:	34,020	50,070		
Total:	172,850	298,700	256,750	298,700
Preferential Land:	0	0	0	0

Transfer Information

Seller: BOLGER BRIAN J	Date: 08/23/2004	Price: \$230,000
Type: IMPROVED ARMS-LENGTH	Deed1: / 8575/ 357	Deed2:
Seller: BOLGER BRIAN J	Date: 07/23/2001	Price: \$0
Type: NOT ARMS-LENGTH	Deed1: / 5587/ 201	Deed2:
Seller:	Date:	Price:
Type:	Deed1:	Deed2:

Exemption Information

Partial Exempt Assessments	Class	07/01/2008	07/01/2009
County	000	0	0
State	000	0	0
Municipal	000	0	0
Tax Exempt: NO			
Exempt Class:			Special Tax Recapture: * NONE *







- red pebbles


734 Merrittville Rd

6/22/09



6/22/09





Discharge observed on back side of property adjacent stream. Smells like wastewater



734 Marriottsville Road
Marriottsville, MD 21104

6.22.09
10 am insp.


Septic Tank cleanout before dye test



734 Marriottsville Road
Marriottsville, MD 21104

6.22.09
10 am inspection

Discharge observed on backside of property adjacent stream. Smells like wastewater



734 Marriottsville Road
Marriottsville, MD 21104

6.22.09
10 am. JMS

Septic Tank cleanout after dye test



734 Marriottsville Road
Marriottsville MD 21104

6.22.09
10 am inspection

Outside view of shared well pit



734 Marriottsville Road
Marriottsville, MD 21104

6.22.09
10 am insp

Inside view of shared well pit.



734 Marriottsville Road
Marriottsville, MD 21104

6.22.09
10 am inspection

June 27, 2009 Inspection PICS
73A Mariettaville Road



SEPTIC TANK CLEANOUT



Well pit on front side of complement's property



Discharge pathway to stream



Discharge occurring on backside of property behind shed.

June 22, 2009 Inspection Plus
734 Morrisville Road

Septic Tank Cleanout



Septic Tank Cleanout
Trace Dye observed after flushing toilet on 1st floor.

NOTICE OF VIOLATION**HAND CARRY/REGULAR MAIL**

June 25, 2009

Panfilo Jimenez
734 Marriottsville Road
Marriottsville, Maryland 21163

RE: Grey water/sewage discharge/septic system failure
734 Marriottsville Road

Dear Mr. Jimenez:

On June 9, 2009, our office received a complaint regarding a possible septic failure/discharge into the stream behind your property. On this same day, Hank Oswald and I conducted an inspection of the property and found what appeared to be a grey water/sewage discharge in the wooded area behind your sheds and running into the stream. There was also a strong odor in this area.

On June 12, 2009, Hank Oswald sent you a letter in order to schedule an inspection of the property. This was scheduled for June 22, 2009. At this inspection, 2 dye tests were performed. A yellow dye was flushed down the toilet and a red dye was entered into the laundry washer drain. The yellow dye appeared at the septic tank 6" cleanout and overflowed onto the ground. After about an hour, the red dye appeared in the wooded area and ran into the stream. These tests indicate that the septic system is failing and the grey water from the washing machine is illegally being directly discharged onto the ground and into the stream.

Health Department records indicate the same complaint was reported in July 2007. At that time you were required to hook the grey water line from the washing machine to the septic tank and this connection was observed and inspected on July 17, 2007. Also, you indicated at the time of the June 22, 2009 inspection that you had disconnected this grey water line to the septic tank and installed a terra cotta line, as a drain for the washing machine, running towards and ultimately entering the stream in violation of Howard County Code.

Based on the above inspection and information, you did knowingly disconnect and reestablish an illegal grey water (washing machine) discharge following a repair to the system for the same issue last July 2007. This discharge is impacting the nearby stream and could also be impacting neighboring properties in violation of Howard County Code Section 3.804 **General provisions, (a) Disposal Methods. (3) On-site Sewage Disposal Systems.** Water-carried sewage from bathrooms, kitchens, laundry fixtures, and other household plumbing shall pass through a septic or other approved sedimentation tank prior to its discharge into the soils. Also, **(b) Responsibility.** Any person who owns, installs, alters, or constructs an on-site sewage disposal system including, but not limited to, an owner, plumbing contractor, or sewage disposal system contractor, are jointly and severally responsible for compliance with this subtitle and for fulfilling the requirements of the design for the construction, addition, or alteration of on-site sewage disposal systems approved by the approving authority. **Because this is a repeat offense, the Department is issuing you a civil citation (see enclosed).**

Moving forward, an evaluation of your septic system including percolation testing to evaluate the soils will be needed immediately. You should contact a septic contractor to assist in this testing. We can provide assistance and/or names if needed. Based upon this analysis, a more long term repair to you septic system can hopefully be done.

Also, we recommend that you contact the Maryland Department of the Environment about the following programs. The Bay Restoration Fund provides up to 100% grant funding to upgrade septic tanks. The contact person is John Boris at 410-537-3678. The Linked Deposit Program provides a source of low-interest financing for homeowners to repair or replace failing on-site septic systems. The contact person is Jag Khuman at 410-537-3119.

If you believe that the condition described above is not and could not be a hazard to health, or that the Health Department is not acting in compliance with pertinent laws and regulations, you may request a formal hearing before the Board of Health within 10 (ten) days of receipt of this letter. All requests are to be made in writing and directed to the Executive Secretary of the Board of Health at the above address.

If you have any questions regarding this letter, please call me at 410-313-1771.

Sincerely,

Stuart F. Oster, R.S.
Groundwater Protection Section
Well and Septic Program

C: Department of Inspections, Licenses and Permits
Executive Secretary, Board of Health
File

Hank Oswald

From: Lisa Washington
Sent: Wednesday, September 02, 2009 11:35 AM
To: Hank Oswald
Subject: RE: Citation Status

Good Morning,

I'm not showing that we have received payment for this citation. I will send out a request for court today. If you have any more questions or concerns feel free to give me a call at (410) 313-4083 :)

From: Hank Oswald
Sent: Wednesday, September 02, 2009 11:24 AM
To: Lisa Washington
Subject: Citation Status

Hello Lisa:

I've been asked to follow-up on a citation issued back in June 09. The pay by date was 7/20/09. The defendants name is Panfilo Jimenez. The street address is 734 Marriorttsville Road. Do you have record of this? Can you tell me if this citation has been paid?

Thanks,

Hank Oswald, Program Supervisor
Howard County Health Department
Community Hygiene Program
7178 Columbia Gateway Drive
Columbia, MD 21046
(410) 313 - 1786

Oct. 22, 2009, approx 11am. Partly Cloudy 70°
734 Marriottsville Rd Marriottsville, MD 21104



Clothes
washer
Line

Oct. 22, 2009, approx 11am. Partly Cloudy 70°
734 Marriottsville Rd Marriottsville MD 21104



Clothes Washer Room

- Application for percolation test
- Info form - septic sys ~~Exam~~ Repair Upgrade / Eval
- MD Linked Deposit Water Quality Loan Program Info
- Septic Fees


Photos, Hank

Oct: 22, 2009 approx 11 a.m. Partly Cloudy 70°
734 Marriottsville Rd Marriottsville MD 21104



Clothes
washer line
Clean-out
Sump
electrical
Sump line
hole

Oct. 22, 2009 Approx 11 a.m. Partly Cloudy 70°
734 Marriottsville Rd Marriottsville MD 21104



Sump
Hole
Sump Electrical
Line
Extension
Cord
Clothes
Washer
Line

Oct. 22, 2009 approx 11am., Partly cloudy 70°
734 Marriattsville Rd Marriattsville MD 21104



End of
sump hose
in back
yard.
Ground is
saturated.

Sump
hose

Oct. 21, 2009 approx 11am., Partly cloudy 70°
734 Marriattsville Rd Marriattsville MD 21104



direction
of flow
toward
complainant's
property

clothes
washer
line

clothes washer
Discharge.
Strong odor of detergent.
Ground is very saturated.