

C1 4653

SEQUENCE NO. (DENV USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.

(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

COUNTY NUMBER A 47503

ST/CO USE ONLY DATE Received

DATE WELL COMPLETED

Depth of Well

PERMIT NO. FROM "PERMIT TO DRILL WELL"

DATE Received grid

DATE WELL COMPLETED grid

Depth of Well grid

PERMIT NO. grid

OWNER last name first name TOWN SUBDIVISION SECTION LOT

WELL LOG Not required for driven wells STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

Table with columns: DESCRIPTION, FEET FROM, TO, Check if water bearing. Includes entries like Topsoil, Br. mica, Tan Sandstone, Granite, Flint.

GROUTING RECORD WELL HAS BEEN GROUTED TYPE OF GROUTING MATERIAL CEMENT BENTONITE CLAY

NO. OF BAGS NO. OF POUNDS GALLONS OF WATER DEPTH OF GROUT SEAL

CASING RECORD casing types insert appropriate code below

MAIN CASING TYPE Nominal diameter top (main) casing of main casing Total depth (nearest inch) (nearest foot)

OTHER CASING (if used) diameter inch depth (feet) from to

SCREEN RECORD screen type or open hole insert appropriate code below

DEPTH (nearest ft.) grid for screen depth

GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68


OEP USE ONLY (NOT TO BE FILLED IN BY DRILLER) TELESCOPE CASING LOG INDICATOR OTHER DATA

C 3

PUMPING TEST HOURS PUMPED (nearest hour) PUMPING RATE (gal. per min. to nearest gal.) METHOD USED TO MEASURE PUMPING RATE WATER LEVEL (distance from land surface) BEFORE PUMPING WHEN PUMPING TYPE OF PUMP USED (for test)

PUMP INSTALLED DRILLER WILL INSTALL PUMP (YES NO)

IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS EXCEPT HOME USE TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX - SEE ABOVE: CAPACITY: GALLONS PER MINUTE (to nearest gallon) PUMP HORSE POWER PUMP COLUMN LENGTH (nearest ft.) CASING HEIGHT (circle appropriate box and enter casing height) LAND SURFACE (nearest foot)



CIRCLE APPROPRIATE LETTER A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED ELECTRIC LOG OBTAINED TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.

DRILLERS IDENT. NO. DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION) SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)

COUNTY



<b>B 1</b>	<b>5280</b>	SEQUENCE NO. (DP USE ONLY)	STATE OF MARYLAND <b>APPLICATION FOR PERMIT TO DRILL WELL</b> please print or type	STATE PERMIT NUMBER <b>40-88-1989</b> <small>fill in this form completely</small>
------------	-------------	-------------------------------	------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------

**OWNER INFORMATION**

Date Received (APA) **102191**

**Curtis Tom**  
Last Name Owner First Name

**5443 Pousing Rd**  
Street or RFD

**Bladensburg Md 20710**  
Town State Zip

**LOCATION OF WELL**

**Howard**  
COUNTY

**ROYER PROPERTY**  
SUBDIVISION

SECTION   LOT **1**

**Woodstock**  
NEAREST TOWN

MILES FROM TOWN (enter 0 if in town) **3** MI

**DRILLER INFORMATION**

**George Easterday**  
Driller's Name License No. **40**

**L.F. Easterday Inc**  
Firm Name

**966 Crown Church Rd (Camp Rd) 2177**  
Address

**George Easterday** **10-21-91**  
Signature Date

**DIRECTION OF WELL FROM TOWN (CIRCLE BOX)**

**1730 Darnestown Rd**  
NEAR WHAT ROAD

ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)

**400**  
DISTANCE FROM ROAD

ENTER FT or MI **FT**

**WELL INFORMATION**

APPROX. PUMPING RATE (GAL. PER MIN.) **5**

AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) **500**

**USE FOR WATER (CIRCLE APPROPRIATE BOX)**

HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY)

FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION)

INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT)

PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL)

TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)

**NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL**

**Howard** COUNTY NAME **A47503** COUNTY NO.

STATE SIGNATURE \_\_\_\_\_ INSERT S

DATE ISSUED **102191** **Mark P. Tiffin** **4/21/92**

NORTH GRID **547000** EAST GRID **0827000**

APPROXIMATE DEPTH OF WELL **300** FEET

APPROXIMATE DIAMETER OF WELL **6** INCH

SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X

SOURCES OF DRILLING WATER

1. **11-12-91 1:00 Driller Well stated no grout today**

2.

3.

WRITE THE BOX NUMBER FROM THE MAP HERE

**827XXX**  
**547XXX**

000  
000

**METHOD OF DRILLING (circle one)**

BORED (or Augered)  JETTED  Jetted & DRIVEN

AIR-ROTARY  AIR-PERCussion  ROTARY (Hydraulic Rotary)

CABLE  REVerse-ROTARY  DRive-POINT

other \_\_\_\_\_

**REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)**

THIS WELL WILL NOT REPLACE AN EXISTING WELL

THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED

THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY

THIS WELL WILL DEEPEM AN EXISTING WELL

PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) \_\_\_\_\_

DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION

**Woodstock**

**199**

**Not to be filled in by driller (DEP USE ONLY)**

APPROP. PERMIT NUMBER **GAP**

FORCE **MR** WRITE INITIALS IN BOX PERMIT No. **40-88-1989**

SPECIAL CONDITIONS



---

**HOWARD COUNTY HEALTH DEPARTMENT**

---

*Joyce M. Boyd, M.D., County Health Officer*

October 22, 1991

*Reply to:*

Mr. Thomas P. Curtis  
5443 Taussig Road  
Bladensburg, Maryland 20710

RE: Percolation Test Results  
Application Number: A47503  
Proposed Use: Recorded Lot  
Property ID: Boyer Property - Lot 1  
Marriottsville Road

Dear Mr. Curtis:

Percolation testing conducted October 10, 1991 and October 11, 1991 on the above referenced property indicated limited satisfactory soil conditions. Limiting factors included rocky soil and shallow bedrock in the principle test area. Suitable soils were found at other locations on the property. Copies of the test results are enclosed.

Further review is contingent upon submission of a percolation certification plat showing actual locations and elevations of all excavated test holes and a suitable house and well site. The plat should also include the location of all existing wells and septic systems on the property as well as the location of any other relevant features such as streams, swales, or existing structures. A note must be included certifying that all wells and septic systems within 100 feet of property boundaries have been shown.

This should be submitted within sixty (60) days to allow field verification if necessary.

If you have any questions regarding this matter, please contact me at the above address or by calling 461-9933.

Very truly yours,

Mark Rifkin, Sanitarian  
Water and Sewerage Program

MR:jr  
Enclosures  
cc: Charlotte Boyer  
File



---

## HOWARD COUNTY HEALTH DEPARTMENT

---

*Joyce M. Boyd, M.D., County Health Officer*

September 26, 1991

*Reply to:*

Mr. Thomas P. Curtis  
5448 Taussig Road  
Bladensburg, Maryland 20710

RE: Percolation Testing  
Royer Property - Lot 1  
1425 Marriottsville Road

Dear Mr. Curtis:

A percolation test date has been reserved for 10:00 a.m. Thursday, October 10, 1991.

You will be responsible for having a contractor on-site to excavate test holes at the corners of proposed percolation area.

Please call this office between 8:30 a.m. and 4:30 p.m. Monday through Friday, to confirm your acceptance of this percolation test date.

Thank you for your cooperation in this matter.

Very truly yours,

Fred Frommelt, Director  
Plan Review

FF:jr

RANDALL - LEWIS SUBDIVISION  
PB. 30 F. 42

NIQ 250 LOT 4

LOT 3

*Signed Copy of Final*

*12/00*  
*1/1/82*

MARRIOTTSVILLE ROAD

VEHICULAR INGRESS AND EGRESS IS RESTRICTED

ROAD

N 18° 32' 30" W 1365.79'

40' 1/2 R/W

3

4

5

12

2

11

6

LOT 1  
4.535 AC.

BUILDING RESTRICTION LINE

BUILDING RESTRICTION LINE

LOT 2  
4.502 AC.

N 02° 42' 00" W 2097.60'

75'

2000'

75'

230'

5182'

N 83° 57' 14" W

495.31'

455.14'

N 49° 32' 46" E

389.10'

352.54'

N 38° 46' 00" W  
228.14'

60'

60'

165'

580.66'

1061.12'

1,102.57'

N 56° 14' 00" E

30'

50'

S 56° 14' 00" W

E 4,500

E 4,500


N 9,500

GARRETT WILLIAMS ET AL.


623 / 209



COORDINATE SCHEDULE		
NO.	NORTH	EAST
1	3322.493	4100.244
2	4727.300	3283.742
3	2938.308	3952.852
4	10,005.501	3953.710
5	10001.215	3929.716
6	9953.394	4446.328
7	10,208.797	4742.406
8	14,363.854	4960.106
9	10,005.314	5,016.830
10	9,415.532	4,134.723
11	9,752.019	4,021.865
12	9,937.761	3,972.648



VICINITY MAP  
SCALE: 1" = 1,200'



GENERAL NOTES

- TAX MAP: 10, PARCEL NO. 130 ERRONEOUSLY SHOWN AS PARCEL NO. 125 ON TAX MAP
- DEED REFERENCE: 839/658
- COORDINATES SHOWN HEREON ARE BASED ON ASSUMED DATUM
- SUBJECT PROPERTY ZONED R, PER 10-3-77 COMPREHENSIVE ZONING PLAN.
- THE LOTS SHOWN HEREON COMPLY WITH THE MINIMUM OWNERSHIP WIDTH AND LOT AREAS AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE
- THIS AREA DESIGNATES A PRIVATE SEWAGE EASEMENT OF APPROXIMATELY 10,000 SQ FT AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF HEALTH AND MENTAL HYGIENE FOR INDIVIDUAL SEWAGE DISPOSAL IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWAGE IS AVAILABLE AND SERVICING ANY RESIDENTIAL STRUCTURES CONSTRUCTED ON THESE BUILDING SITES THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCES FOR ENCROACHMENTS INTO THE PRIVATE SEWAGE EASEMENT. RECORDATION OF A MODIFIED SEWAGE EASEMENT SHALL NOT BE NECESSARY.
- ALL PERCOLATION TEST HOLES SHOWN HEREON HAVE BEEN FIELD LOCATED AND ARE SHOWN THUS (G)
- THERE IS AN EXISTING STRUCTURE ON LOT 1.

OWNER / DEVELOPER

CHARLOTTE A BOYER  
1425 MARIOTTVILLE ROAD  
MARIOTTVILLE, MARYLAND 21104

AREA TABULATIONS

TOTAL NUMBER OF LOTS: 2  
TOTAL AREA OF LOTS: 9.037 AC.  
TOTAL AREA OF RIGHT-OF-WAY DEDICATION: 0.570 AC.  
TOTAL AREA OF FLOOD PLAIN DEDICATION: NONE  
TOTAL AREA OF PLAT: 9.607 AC

APPROVED: FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT.

*Joseph J. Jones* 1-11-82  
HOWARD COUNTY HEALTH OFFICER DATE

APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING.

*James C. Henry* 1-20-82  
PLANNING DIRECTOR DATE

APPROVED: FOR STORM DRAINAGE SYSTEMS AND PUBLIC ROADS, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS.

*John F. Nunn* 1-18-82  
DIRECTOR DATE

OWNERS STATEMENT

I, CHARLOTTE A BOYER, OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON, HEREBY ADOPT THIS PLAN OF SUBDIVISION, AND IN CONSIDERATION OF THE APPROVAL OF THIS FINAL PLAT BY THE OFFICE OF PLANNING AND ZONING, ESTABLISH THE MINIMUM BUILDING RESTRICTION LINES AND GRANT UNTO HOWARD COUNTY, MARYLAND, ITS SUCCESSORS AND ASSIGNS, (1) THE RIGHT TO LAY, CONSTRUCT AND MAINTAIN SEWERS, DRAINS, WATER PIPES AND OTHER MUNICIPAL UTILITIES AND SERVICES, IN AND UNDER ALL ROADS AND STREET RIGHT-OF-WAYS AND THE SPECIFIC EASEMENT AREAS SHOWN HEREON; (2) THE RIGHT TO REQUIRE DEDICATION FOR PUBLIC USE THE BEDS OF THE STREETS AND/OR ROADS AND FLOODPLAINS AND OPEN SPACE WHERE APPLICABLE, AND FOR GOOD AND OTHER VALUABLE CONSIDERATION, HEREBY GRANT THE RIGHT AND OPTION TO HOWARD COUNTY TO ACQUIRE THE FEE SIMPLE TITLE TO THE BEDS OF THE STREETS AND/OR ROADS AND FLOODPLAINS, STORM DRAINAGE FACILITIES AND OPEN SPACE WHERE APPLICABLE; AND (3) THE RIGHT TO REQUIRE DEDICATION OF WATERWAYS AND DRAINAGE EASEMENTS FOR THE SPECIFIC PURPOSE OF THEIR CONSTRUCTION, REPAIR AND MAINTENANCE; AND (4) THAT NO BUILDING OR SIMILAR STRUCTURE OF ANY KIND SHALL BE ERECTED ON OR OVER THE SAID EASEMENTS AND RIGHT OF WAYS.

WITNESS MY/OUR HANDS THIS 4TH DAY OF SEPTEMBER, 1981.  
*Charlotte A Boyer* 9-11-81  
*Kathleen M...*  
WITNESS

SURVEYORS CERTIFICATE

I HEREBY CERTIFY THAT THE FINAL PLAT SHOWN HEREON IS CORRECT, THAT IT IS A SUBDIVISION OF ALL OF THE LANDS CONVEYED BY GERALD BYRON BOYER, SR TO CHARLOTTE A BOYER, HIS WIFE BY DEED DATED MARCH 11TH 1977 AND RECORDED IN THE LAND RECORDS OF HOWARD COUNTY, MARYLAND IN LIBER 839 AT FOLIO 655 AND THAT ALL MONUMENTS ARE IN PLACE AS SHOWN IN ACCORDANCE WITH THE ANNOTATED CODE OF MARYLAND, AS AMENDED.

*William G. Hartel* 1-18-82  
WILLIAM G. HARTEL, P.L.S. NO. 9436 DATE

RECORDED AS PLAT 5113 ON 1-29-82 AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND

**BOYER PROPERTY (LOTS 1 AND 2)**



SHEET 1 OF 1 VP-79-25  
TAX MAP 10 ZONING R  
3RD ELECTION DISTRICT HOWARD COUNTY, MARYLAND  
SCALE: 1" = 100' DATE: SEPT. 15, 1981

boender associates engineers/surveyors/planners  
SUITE 102-107 TOWNSHIP & COUNTRY PROFESSIONAL BUILDING  
ELLCOTT CITY, MARYLAND 21043  
BALTIMORE 301-465-7777 FALLSBURY 301-748-1288

A 47503

SUBDIVISION:

LOT NUMBER: /

*Point Property  
Middletown Rd  
Middletown Rd*

DRY WELL OR DRY WELL AND TRENCH

\_\_\_\_\_ sq. ft./bedroom

	<u>Septic Tank</u>	<u>Minimum Total Square Feet</u>
3 bedroom	1000 gallon	_____
4 bedroom	1250 gallon	_____
5 bedroom	1500 gallon	_____

Inlet \_\_\_\_\_ feet below original grade.  
 Bottom maximum depth \_\_\_\_\_ feet below original grade.  
 Effective area begins at \_\_\_\_\_ feet below original grade.

NOTE: If trench is used to make up absorbent area, run the trench on level ground and leave a 5-foot earth buffer between dry well and trench. No trench is to exceed 100 feet in length. Trench inlet to be same as dry well, with \_\_\_\_\_ feet of stone below distribution pipe.

TRENCHES



180 sq. ft./bedroom

Trench to be \_\_\_\_\_ wide.  
 Inlet \_\_\_\_\_ feet below original grade.  
 Bottom maximum depth 5 feet below original grade.  
 Effective area begins at 5 feet below original grade.  
 \_\_\_\_\_ feet of stone below distribution pipe.

- NOTE:
- (1) No trench to exceed 100 feet in length.
  - (2) If more than one trench used, a distribution box is required.
  - (3) Trenches to be installed on level ground.
  - (4) Call for inspection of trench before gravel is installed.
  - (5) Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank and drywell.
  - (6) If a garbage disposal is used, increase septic tank capacity by 50% and increase absorbent sidewall area by 22%.

LOCATION: PLACE THE DISTRIBUTION BOX 90' FROM THE  
REAR (R.O.S. 10') LOT LINE AND THE FULL THE RIGHT  
(520.66) LOT LINE. RUN TRENCHES IN BOTH DIRECTION.

*MR 4/19/71*

B 1	5280 <small>(THIS NUMBER IS TO BE PUNCHED IN COLS 3-6 ON ALL CARDS)</small>	SEQUENCE NO. (DP USE ONLY) <b>STATE OF MARYLAND</b> <b>APPLICATION FOR PERMIT TO DRILL WELL</b> please print or type	STATE PERMIT NUMBER 45-000-17009 <small>fill in this form completely</small>
Date Received (APA) <input type="text"/>		LOCATION OF WELL COUNTY <input type="text"/>	
<b>OWNER INFORMATION</b> 15 Last Name <input type="text"/> Owner First Name <input type="text"/> 36 Street or RFD <input type="text"/> 57 town <input type="text"/> 70 State <input type="text"/> 72 Zip <input type="text"/> 76		23 SUBDIVISION <input type="text"/> 47 SECTION <input type="text"/> 44 46 LOT <input type="text"/> 48 50 52 NEAREST TOWN <input type="text"/> 71 MILES FROM TOWN (enter 0 if in town) <input type="text"/> 73 <input type="text"/> 76 <input type="text"/> 77 <input type="text"/> 78	
<b>DRILLER INFORMATION</b> Driller's Name <input type="text"/> 77 License No. 80 Firm Name <input type="text"/> Address <input type="text"/> Signature <input type="text"/> Date <input type="text"/>		DIRECTION OF WELL FROM TOWN (CIRCLE BOX) 	
APPROX PUMPING RATE (GAL. PER MIN.) <input type="text"/> 8 AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) <input type="text"/> 14 <input type="text"/> 12 <input type="text"/> 20		NEAR WHAT ROAD <input type="text"/> 11 ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX) NORTH <input type="checkbox"/> WEST <input type="checkbox"/> EAST <input type="checkbox"/> SOUTH <input type="checkbox"/> 34 <input type="text"/> 37 DISTANCE FROM ROAD ENTER FT or MI <input type="text"/> 38 <input type="text"/> 39	
<b>USE FOR WATER</b> (CIRCLE APPROPRIATE BOX) <input type="checkbox"/> HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY) <input type="checkbox"/> FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION) <input checked="" type="checkbox"/> INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT) <input type="checkbox"/> PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL) <input type="checkbox"/> TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)		NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL COUNTY NAME <input type="text"/> COUNTY NO. <input type="text"/> STATE SIGNATURE <input type="text"/> INSERT S <input type="text"/> 41 DATE ISSUED <input type="text"/> 43 <input type="text"/> 48 CO SIGNATURE <input type="text"/> EXP DATE <input type="text"/> NORTH GRID <input type="text"/> 50 <input type="text"/> 55 EAST GRID <input type="text"/> 57 <input type="text"/> 63	
APPROXIMATE DEPTH OF WELL <input type="text"/> 24 <input type="text"/> 28 FEET APPROXIMATE DIAMETER OF WELL <input type="text"/> 6 INCH NEAREST INCH		SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X SOURCES OF DRILLING WATER 1. <input type="text"/> 2. <input type="text"/> 3. <input type="text"/> WRITE THE BOX NUMBER FROM THE MAP HERE E <input type="text"/> N <input type="text"/>	
<b>METHOD OF DRILLING</b> (circle one) BORED (or Augered) JETTED Jetted & DRIVEN 39 AIR-ROTARY AIR-PERCussion ROTARY (Hydraulic Rotary) 37 CABLE REVERSE-ROTARY DRIVE-POINT other: <input type="text"/>		DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION N 	
<b>REPLACEMENT OR DEEPEMED WELLS</b> (CIRCLE APPROPRIATE BOX) <input type="checkbox"/> THIS WELL WILL NOT REPLACE AN EXISTING WELL <input type="checkbox"/> THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED 39 <input type="checkbox"/> THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY <input type="checkbox"/> THIS WELL WILL DEEPEM AN EXISTING WELL PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) 41 <input type="text"/> 52			
Not to be filled in by driller (OEP USE ONLY) APPROP. PERMIT NUMBER <input type="text"/> 54 G A P <input type="text"/> 63 FORCE <input type="text"/> 67 <input type="text"/> 65 WRITE INITIALS IN BOX PERMIT No. <input type="text"/> 70 <input type="text"/> 71 <input type="text"/> 73 <input type="text"/> 74 <input type="text"/> 75 <input type="text"/> 76 <input type="text"/> 77 <input type="text"/> 78 <input type="text"/> 79			
SPECIAL CONDITIONS <input type="text"/>			

COUNTY



C1 - 4653

SEQUENCE NO. (DENV USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.

(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE

COUNTY NUMBER

ST/CO USE ONLY DATE RECEIVED

DATE WELL COMPLETED

Depth of Well

PERMIT NO. FROM "PERMIT TO DRILL WELL"

OWNER last name first name TOWN SUBDIVISION SECTION LOT

WELL LOG table with columns: DESCRIPTION (Use additional sheets if needed), FEET (FROM, TO), Check if water bearing. Includes handwritten entries like 'Topsoil 0-2', 'Bentonite 2-11', etc.

GROUTING RECORD section: WELL HAS BEEN GROUTED (Y/N), TYPE OF GROUTING MATERIAL (CEMENT, BENTONITE CLAY), NO. OF BAGS, NO. OF POUNDS, GALLONS OF WATER, DEPTH OF GROUT SEAL.

CASING RECORD section: casing types insert appropriate code below (ST, CO, PL, OT).

MAIN CASING TYPE section: Nominal diameter top (main) casing, Total depth of main casing.

OTHER CASING (if used) section: diameter inch, depth (feet) from to.

SCREEN RECORD section: screen type or open hole insert appropriate code below (ST, BR, HO, PL, OT).

DEPTH (nearest ft.) section: grid for recording depth measurements.

SLOT SIZE section: DIAMETER OF SCREEN (NEAREST INCH).

GRAVEL PACK section: IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68.

OEP USE ONLY section: T (E.R.O.S.), W Q (74, 75, 76), TELESCOPE CASING, LOG INDICATOR, OTHER DATA.

PUMPING TEST section: HOURS PUMPED, PUMPING RATE, METHOD USED TO MEASURE PUMPING RATE, WATER LEVEL, TYPE OF PUMP USED.

PUMP INSTALLED section: DRILLER WILL INSTALL PUMP (YES/NO), TYPE OF PUMP INSTALLED, CAPACITY, PUMP HORSE POWER, PUMP COLUMN LENGTH, CASING HEIGHT.

LOCATION OF WELL ON LOT section: SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND/OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL).

CIRCLE APPROPRIATE LETTER (A, E, P), I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04, DRILLERS IDENT. NO., DRILLERS SIGNATURE, SITE SUPERVISOR.

COUNTY