

Record Detail * (This section is required.)

Permit Type	Permit Number	Opened Date
Building/Residential/Misc/Solar Panel	B23004672	11/28/2023
Description of Work		
SFD/ Installation of 44 ground mounted solar panels. TRENCHING REQUIRED: AC WIRE TO BE TRENCHED 125 FT IN LANDSCAPE MATERIAL.		

[check spelling](#)

Address * (This section is required.)

Search Reset Clear Get Parcel & Owner

Street #	Street Name	Street Type
8030	KAYLADINE	LN
Unit Type	Unit #	X Coordinate
--Select--		-76.92887
		Y Coordinate
		39.14982
City	State	Zip Code
FULTON	MD	20759
		Primary
		Yes

On hold
12/14/23.
gls

Parcel * (This section is required.)

Search Reset Clear Get Address & Owner

GIS ID *	Parcel	Parcel Area	Land Value	Improved Value	Exemption Value	Plan Area
1102707	103	1.32	254300	254300	0	RURAL
Legal Description						
LOT 9 1.315 A.[]8030 KAYLADINE LN[]DUSTINS GOLDEN FIELDS						

[check spelling](#)

Block	Lot	Census Tract	Council Dist	Inspection Dist	Supervisor Dist	Map #	DAP Zone
	9	605102	4				
Plan Area	State Tax Id	Subdivision Name					
	1405596598	Dustin's Golden Fields					
Section	Area	Tax Map					
		46					
Grid	Zoning District	ADC Map					
46-1	RR-DEO	5052-B7					
SDP No.	Final Plan No.	WP File No.					
	F-07-100						
Record Plat No.	WS Contract No.	FDP No.	Primary				
22888-2289			Yes				
Owner Occupied	Year Built	Historic District					
<input type="radio"/> Yes <input checked="" type="radio"/> No		<input type="radio"/> Yes <input checked="" type="radio"/> No					
Historic District Registry No.	Stat Area	Flood Plain					
	5-17A	<input type="radio"/> Yes <input checked="" type="radio"/> No					
Building No							

Owner * (This section is required.)

Search Reset Clear

Name *

OGUEJIOFOR PATRICK C TRUSTEE

Address Line 1

8030 Kayladine Lane

Address Line 2

Address Line 3

Mail City	Mail State	Mail Zip Code
Fulton	MD	20759
Phone	Primary	
3853526673	Yes	
E-mail		
mdpermitcoordination@sunrun.com		
Cell Number	Fax Number	

*Approved
MPE 2/13/24*




Record Detail * (This section is required.)

Permit Type Building/Residential/Misc/Solar Panel
Permit Number B23004672
Opened Date 11/28/2023 
Description of Work
 SFD/Installation of 44 ground mounted solar panels. TRENCHING REQUIRED: AC WIRE TO BE TRENCHED
 125 FT
 IN LANDSCAPE MATERIAL.

[check spelling](#)

Address * (This section is required.)

Search Reset Clear Get Parcel & Owner

Street # 8030
Street Name KAYLADINE
Street Type LN 
Unit Type -Select- 
Unit #
X Coordinate -76.92887
Y Coordinate 39.14982
City FULTON
State MD
Zip Code 20759
Primary Yes 

Parcel * (This section is required.)


Search Reset Clear Get Address & Owner

GIS ID *	Parcel	Parcel Area	Land Value	Improved Value	Exemption Value	Plan Area
1102707	103	1.32	254300	254300	0	RURAL

Legal Description
 LOT 9 1.315 A. []8030 KAYLADINE LN []DUSTINS GOLDEN FIELDS

[check spelling](#)


Block	Lot	Census Tract	Council Dist	Inspection Dist	Supervisor Dist	Map #	DAP Zone
	9	605102	4				

Plan Area State Tax Id 1405596598 Subdivision Name Dustin's Golden Fields
Section Area Tax Map 46
Grid 46-1 Zoning District RR-DEO ADC Map 5052-B7
SDP No. Final Plan No. F-07-100 WP File No.
Record Plat No. 22888-2289 WS Contract No. FDP No. Primary Yes 
Owner Occupied Yes No Year Built Historic District Yes No
Historic District Registry No. Stat Area 5-17A Flood Plain Yes No
Building No

Owner * (This section is required.)

Search Reset Clear

Name *
 OGUEJIOFOR PATRICK C TRUSTEE
Address Line 1
 8030 Kayladine Lane
Address Line 2
Address Line 3

Mail City Fulton **Mail State** MD **Mail Zip Code** 20759
Phone 3853526673 **Primary** Yes 
E-mail
 mdpermitcoordination@sunrun.com

Cell Number Fax Number

Professionals * (This section is required.)

License # *
 08050135709
License Type *
 MHIC Co
Primary
 Yes

Business Name
 SUNRUN INSTALLATION SERVICES INC
First Name **Middle Name** **Last Name**
 PAUL
Address Line 1
 21 WORLDS FAIR DRIVE
Address Line 2
 21 WORLDS FAIR DRIVE
City **State** **ZIP Code**
 SOMERSET NJ 08873-0000
Phone 1 **Phone 2** **Fax**
 7328237230 7323568398
E-mail
 PAUL.JOYCE@SUNRUN.COM

Applicant * (This section is required.)

Search As Owner As Lic. Prof As Contact

Type *
 Applicant
Relationship
 Applicant
Primary
 Yes

First Name **MI** **Last Name**
 Marvin Easley
Full Name
 Marvin Easley
Organization Name
 SUNRUN INSTALLATION SERVICES
Street Address
 12400 Kiln Ct., Ste. g
Address Line 2

City **State** **Zip Code**
 Beltsville MD 20705
Phone **Cell** **Fax**
 3853526673
E-mail *
 mdpermitcoordination@sunrunhome.com

Addtl Info

Est Construction Cost * **Housing Units *** **Number of Buildings *** **Public Owned**
 33858 0 0 No

Construction Type
 434 - Additions, Alterations and Conversions - Residential

RESIDENTIAL SOLAR PANEL INFO

SOLAR PANEL INFORMATION

Capital Project-No Fee **Type of Installation *** **Number of Panels *** **Water Supply *** **Sewage Disposal *** **Expiration Date**
 Yes No Solar Collector - Ground Mount 44 Private Private 5/28/2024

Existing Use * **Sprinkler System ***
 SFD Yes No

PAYMENT INFORMATION

Submit Cancel

GENERAL NOTES:


- 1) THIS LOCATION DRAWING IS PREPARED FOR THE BENEFIT OF THE CLIENT SIGNING THE HOUSE LOCATION SURVEY AFFIDAVIT. FROM INSURANCE AS IT IS REQUIRED BY A LICENSED TITLE INSURANCE COMPANY OR ITS AGENTS IN CONNECTION WITH THE CONVEYANCE. THEREFORE, PROVIDING OR EXTENDING OF THIS PROPERTY SHOULD BE HEARD. UNLESS INDICATED AS BEING A SURVEY, THIS LOCATION DRAWING IS NOT INTENDED FOR USE IN THE ESTABLISHMENT OF PROPERTY LINES AND IS NOT TO BE RELIED UPON FOR THE ESTABLISHMENT OF LOCATIONS OF FENCES, GARDENS, BUILDINGS OR OTHER EXISTING OR FUTURE IMPROVEMENTS. AS A RESULT, THIS LOCATION DRAWING DOES NOT CONSTITUTE FOR ACCURATE IDENTIFICATION OF PROPERTY LINES, BUT SUCH IDENTIFICATION MAY NOT BE REQUIRED FOR THE PURPOSES OF TITLE OR SECURING FINANCING FOR RE-FINANCING EXISTING PROPERTY AS SHOWN IN CONNECTION WITH THE NATIONAL FLOOD INSURANCE PROGRAM FLOOD INSURANCE RATE MAP OF HOWARD COUNTY, MARYLAND, COMMUNITY PANEL NO. 1300220100B, EFFECTIVE 11/24/2020.
- 2) THE OBJECTS FROM BUILDING LINE TO PROPERTY LINE AS SHOWN ON THIS DRAWING ARE TO AN ACCURACY OF PLUS OR MINUS 1".
- 3) THE EXISTING WELLS SHOWN ON THIS PLAN COINCIDE WITH THE ATTACHED WELL TAG NUMBER HD-25-2154 HAS BEEN FIELD LOCATED BY FISHER, COLLINS AND CARTER, INC. PROFESSIONAL LAND SURVEYORS AND IS ACCURATELY LOCATED.
- 4) NO TITLE REPORT FURNISHED SUBJECT TO ALL EASEMENTS, RIGHTS OF WAY AND CONDITIONS OF REZONING PROFESSIONAL CERTIFICATION. I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED BY ME OR UNDER MY RESPONSIBLE CHARGE, AND THAT I AM A DAILY LICENSED PROFESSIONAL LAND SURVEYOR UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 21476, EXPIRATION DATE 7/11/2023.
- 5) BUILDING PERMIT #B-19008430

Legend

- EXISTING STREAM BUFFER
- NON-BUILDABLE PRESERVATION PARCEL
- BUILDABLE PRESERVATION PARCEL
- NOT-BUILDABLE PRESERVATION PARCEL
- EXISTING STREAM BUFFER

Private Use-in-Common Access Easement Line Tabulation Sheet

Stn.	Bearing	Distance
UC-1	S88°48'02" E	30.00'
UC-2	S03°00'00" E	13.71'
UC-3	S38°29'27" E	112.97'
UC-4	S55°47'00" E	134.20'
UC-5	S28°18'00" W	89.89'
UC-6	S41°10'10" W	80.77'
UC-7	S83°52'00" E	131.29'
UC-8	N02°51'00" W	18.84'
UC-9	S43°30'00" W	70.00'
UC-10	S88°34'00" E	18.73'
UC-11	S43°22'00" E	172.86'
UC-12	S59°41'00" E	257.41'
UC-13	S69°48'10" E	187.92'
UC-14	S28°48'00" E	81.48'
UC-15	S07°51'31" W	45.98'
UC-16	N08°19'00" W	81.92'
UC-17	N07°51'21" W	42.98'
UC-18	S08°48'00" E	25.58'
UC-19	S89°48'10" W	178.18'
UC-20	S99°41'00" E	281.88'
UC-21	S89°48'00" W	83.17'
UC-22	S87°34'21" E	27.60'
UC-23	N07°51'00" E	101.50'
UC-24	S28°31'21" E	99.50'
UC-25	S87°52'00" E	28.00'
UC-26	S41°10'10" W	80.52'
UC-27	S39°19'00" W	51.79'
UC-28	S53°19'00" W	148.50'
UC-29	S38°29'27" W	104.23'
UC-30	S03°00'00" W	103.31'




DETAIL:
1"=20'

FISHER, COLLINS & CARTER, INC.
LAND SURVEYORS & ENGINEERS
10000 WOODBURN ROAD, SUITE 100
BETHESDA, MARYLAND 20814
PHONE: 301-461-1000
FAX: 301-461-1001



DUSTIN'S GOLDEN FIELDS
LOTS 5 THRU 9, BUILDABLE
PRESERVATION PARCELS 'A' AND
NON-BUILDABLE
PRESERVATION PARCELS
'B', 'C' & 'D'
(PLAT NOS. 22080
THRU 22084)



Private Use-in-Common Access Easement For The Use And Benefit Of Lots 5 Thru 9 And Buildable Preservation Parcel 'A' And Non-Buildable Preservation Parcels 'B', 'C', 'D' And The Public Commonly Held Agreement For Lots 5 Thru 9 And Buildable Preservation Parcel 'A' And Non-Buildable Preservation Parcels 'B', 'C' And 'D' Shall Be Governed Along The Land Records Of Howard County, Maryland Simultaneously With The Plat.

BUILDABLE PRESERVATION PARCEL 'A' OWNED PRIVATELY EASEMENT HOLDERS: HOWARD COUNTY, MARYLAND DUSTIN'S GOLDEN FIELDS HOMEOWNERS ASSOCIATION, INC.

Wall Check
OK RAC
4/8/2022

LOT 9
DUSTIN'S GOLDEN FIELDS
LOTS 5 THRU 9 AND
BUILDABLE PRESERVATION PARCEL 'A'
AND NON-BUILDABLE PRESERVATION
PARCELS 'B', 'C' & 'D'
PLAT NOS. 22080 THRU 22089
FIFTH ELECTION DISTRICT
HOWARD COUNTY, MARYLAND


HOUSE LOCATION DRAWING

FOUNDATION LOCATIONS - SEE PLAN
WELL LOCATIONS - SEE PLAN
BOUNDARY SURVEY:
SCALE: PLANS
DATE: 4/8/2022
DRAWN BY: RAC
CHECKED BY: JLC
PROJECT NO. 2022080


#6030 KAYLADINE LANE
B.M. = BUILDING RESTRICTION LINE
TOP OF FOUNDATION ELEVATION = 448.5'

NOTE:

1. THE LOCATIONS OF DEPTHS TO ANY COMPONENTS MUST BE APPROVED BY THE ENGINEER. THE DEPTHS TO ANY COMPONENTS MUST BE APPROVED BY THE ENGINEER. THE DEPTHS TO ANY COMPONENTS MUST BE APPROVED BY THE ENGINEER.
2. A HEAVY LOAD BARBER, TANK, OR OTHER EQUIPMENT WILL REQUIRE A SPECIAL DESIGN FOR THE INSTALLATION MUST BE PROVIDED BY A LICENSED ELECTRICAL ENGINEER.
3. ALL WELLS AND SEPTIC SYSTEMS LOCATED WITHIN 10' OF THE PROPERTY BOUNDARIES ARE TO BE DEPTHS TO ANY WELLS AND/OR SEPTIC SYSTEMS HAVE BEEN SHOWN.




PLAN
SCALE 1" = 30'



TRENCH DATA:

- TRENCH 1: GROUND ABOVE = 448.21', INVERT = 448.01', BOTTOM TRENCH = 440.31'
- TRENCH 2: GROUND ABOVE = 447.9', INVERT = 445.3', BOTTOM TRENCH = 430.7'
- TRENCH 3: GROUND ABOVE = 445.7', INVERT = 443.2', BOTTOM TRENCH = 430.0'
- TRENCH 4: GROUND ABOVE = 445.0', INVERT = 443.0', BOTTOM TRENCH = 430.0'

NOTE: NO QUANTITY #44589, #44592, #44593, #44594



PROFESSIONAL CERTIFICATION
I, **ANDREW C. GARDNER**, LICENSED PROFESSIONAL ENGINEER, NO. 10117, STATE OF MARYLAND, CERTIFICATE NO. 10117, EXPIRES 12/31/2022.

OWNER:
ANDREW C. GARDNER
10117
LAWSON, MD 21151

BUILDER:
LIBERTY CONCRETE WORKS
A DIVISION OF
PARKWAY, MD 21151
410-444-4400

PROFESSIONAL CERTIFICATION
I, **ANDREW C. GARDNER**, LICENSED PROFESSIONAL ENGINEER, NO. 10117, STATE OF MARYLAND, CERTIFICATE NO. 10117, EXPIRES 12/31/2022.



ADDRESS CHART			
LOT NUMBER	5	5	5
5	5	5	5
5	5	5	5

**SEPTIC SYSTEM
INSTALLATION SITE PLAN**
**DUSTIN'S GOLDEN FIELDS
LOT 9**
6030 KAYKIND LANE
TAX MAP NO. 16 PARCEL NO. 103 GRID NO. 2
PFTB REACTION DISTRICT - HOWARD COUNTY, MARYLAND
SCALE 1" = 30' SHEET 1 OF 2

SEPTIC TANK DATA:

- 7' BARS/BOARDS 150 GPD/BARS/BOARD = 1000 GPD
- APPLICATION RATE = 0.8
- TRENCH DEPTH = 4.5 FEET
- TRENCH WIDTH (W) = 3 FEET
- 5' OF BARS/BOARD = 1000 GPD / 0.8 = 1312.5'
- LENGTH OF TRENCH = 1312.5'
- TRENCH LENGTH = 437.5' x 3 = 1312.5'
- 14 TRENCHES @ 7.5' W = (14) x 3 = 42' USE 10'

SEPTIC TANK DATA:

- 7' BARS/BOARDS 150 GPD/BARS/BOARD = 1000 GPD
- APPLICATION RATE = 0.8
- TRENCH DEPTH = 4.5 FEET
- TRENCH WIDTH (W) = 3 FEET
- 5' OF BARS/BOARD = 1000 GPD / 0.8 = 1312.5'
- LENGTH OF TRENCH = 1312.5'
- TRENCH LENGTH = 437.5' x 3 = 1312.5'
- 14 TRENCHES @ 7.5' W = (14) x 3 = 42' USE 10'

SEPTIC TANK DATA:

- 7' BARS/BOARDS 150 GPD/BARS/BOARD = 1000 GPD
- APPLICATION RATE = 0.8
- TRENCH DEPTH = 4.5 FEET
- TRENCH WIDTH (W) = 3 FEET
- 5' OF BARS/BOARD = 1000 GPD / 0.8 = 1312.5'
- LENGTH OF TRENCH = 1312.5'
- TRENCH LENGTH = 437.5' x 3 = 1312.5'
- 14 TRENCHES @ 7.5' W = (14) x 3 = 42' USE 10'

SEPTIC TANK DATA:

- 7' BARS/BOARDS 150 GPD/BARS/BOARD = 1000 GPD
- APPLICATION RATE = 0.8
- TRENCH DEPTH = 4.5 FEET
- TRENCH WIDTH (W) = 3 FEET
- 5' OF BARS/BOARD = 1000 GPD / 0.8 = 1312.5'
- LENGTH OF TRENCH = 1312.5'
- TRENCH LENGTH = 437.5' x 3 = 1312.5'
- 14 TRENCHES @ 7.5' W = (14) x 3 = 42' USE 10'

Approved Under System No. 10117
Howard County Department of Public Works
10/1/2022



12/27/2023

**MD – County Howard
Building Department**


Oguejiofor Residence
8030 Kayladine Ln Fulton MD 20759

The following revisions have been made to the plans:

1. Currently, the ground-mounted solar panel proposed location is right in the middle of the Sewage Disposal Area. Need to maintain a minimum distance of 10 feet away from the SDA. We are requiring a revised location on the plot plan, if applicable
 - a. The plans have been corrected by relocated the ground mount away from the SDA. See REV B.

Thank you for your time,
Mariah Crawford
PV System Designer
Sunrun

SITE PLAN - SCALE = 3/128" = 1'-0"



ARRAY DETAILS:

- TOTAL ROOF SURFACE AREA: 7986 SQFT.
- TOTAL PV ARRAY AREA: 930.0 SQ FT.
- PERCENTAGE PV COVERAGE:
(TOTAL PV ARRAY AREA/TOTAL ROOF SURFACE AREA) * 100 = 11.6%

	ARRAY PITCH	TRUE AZIM	MAG AZIM	PV AREA (SQFT)
AR-01	30°	180°	191°	930

SUNRUN
 ENGINEER ADDRESS:
 225 BUSH ST., SUITE 1400
 SAN FRANCISCO, CA 94104
 P. 949-363-0993

MHIC #115875
 6867 YELLOW BRICK RD, ROSEDALE, MD, 21237-2303
 PHONE: 0
 FAX: 0

CUSTOMER RESIDENCE:
 PATRICK OGUEJIOFOR
 8030 KAYLADINE LN, FULTON,
 MD, 20759

TEL. (301) 676-3363
 APN: 05-596598


PROJECT NUMBER:
 252R-030OGUE

DESIGNER: (415) 580-6920 ex3
 JEAN RUDAKEMWA

SHEET
SITE PLAN

REV: A 11/17/2023
 PAGE PV-2.0

SITE PLAN - SCALE = 3/128" = 1'-0"



ARRAY DETAILS:

- TOTAL ROOF SURFACE AREA: 7986 SQFT.
- TOTAL PV ARRAY AREA: 930.0 SQ FT.
- PERCENTAGE PV COVERAGE:
(TOTAL PV ARRAY AREA/TOTAL ROOF SURFACE AREA) * 100 = 11.6%

	ARRAY PITCH	TRUE AZIM	MAG AZIM	PV AREA (SQFT)
AR-01	30°	180°	191°	930

SUNRUN

ENGINEER ADDRESS:
225 BUSH ST, SUITE 1400
SAN FRANCISCO, CA 94104
P: 949-383-0993

MHIC #115875

8987 YELLOW BRICK RD, ROSEDALE, MD, 21237-2303
PHONE 0
FAX 0

CUSTOMER RESIDENCE:
PATRICK OGUEJIOFOR
8030 KAYLADINE LN, FULTON,
MD, 20759

TEL: (301) 676-3363
APN: 05-596598

PROJECT NUMBER:
252R-030OGUE

DESIGNER: (415) 580-6920 ex3
JEAN RUDAKEMWA

SHEET
SITE PLAN


REV: A 11/17/2023

PAGE **PV-2.0**

SITE PLAN - SCALE = 0'-0 3/128" = 1'-0"



(E) SEWAGE DISPOSAL AREA (SDA)



ARRAY DETAILS:

- TOTAL ROOF SURFACE AREA: 7986 SQFT.
- TOTAL PV ARRAY AREA: 930.0 SQ FT.
- PERCENTAGE PV COVERAGE:
(TOTAL PV ARRAY AREA/TOTAL ROOF SURFACE AREA) * 100 = 11.6%

	ARRAY PITCH	TRUE AZIM	MAG AZIM	PV AREA (SQFT)
AR-01	30°	180°	191°	930

SUNRUN

ENGINEER ADDRESS:
225 BUSH ST, SUITE 1400
SAN FRANCISCO, CA 94104
P: 949-383-0993

MHIC #115875

8987 YELLOW BRICK RD, ROSEDALE, MD, 21237-2303
PHONE 0
FAX 0

CUSTOMER RESIDENCE:
PATRICK OGUJIOFOR
8030 KAYLADINE LN, FULTON,
MD, 20759

TEL: (301) 676-3363
APN: 05-596598


PROJECT NUMBER:
252R-030OGUE

DESIGNER: (415) 580-6920 ex3
JEAN RUDAKEMWA

SHEET
SITE PLAN

REV: B 12/27/2023

PAGE
PV-2.0



CONDUIT SCHEDULE

#	CONDUIT	CONDUCTOR	NEUTRAL	GROUND
0	NONE	NONE	NONE	(1) 6 AWG BARE COPPER
1	NONE	(2) 12 AWG PER ENPHASE Q CABLE BRANCH	NONE	(1) 10 AWG BARE COPPER
2	1" EMT OR EQUIV.	(8) 10 AWG THHN/THWN-2	NONE	(1) 8 AWG THHN/THWN-2
3	1" EMT OR EQUIV.	(2) 4 AWG THHN/THWN-2	(1) 8 AWG THHN/THWN-2	(1) 8 AWG THHN/THWN-2
3T	1" SCH 40 PVC (BELOW GROUND) 1" SCH 80 PVC (ABOVE GROUND)	(2) 4 AWG THHN/THWN-2	(1) 8 AWG THHN/THWN-2	(1) 8 AWG THHN/THWN-2
4	1" EMT OR EQUIV.	(2) 4 AWG THHN/THWN-2	(1) 8 AWG THHN/THWN-2	(1) 8 AWG THHN/THWN-2

TAP DEVICE MUST BE MARKED "SUITABLE FOR USE ON THE LINE SIDE OF THE SERVICE EQUIPMENT" OR EQUIVALENT

MODULE CHARACTERISTICS

HANWHA Q-CELLS: Q.PEAK DUO BLK ML-G10+ 405:
 405 W
 OPEN CIRCUIT VOLTAGE: 45.34 V
 MAX POWER VOLTAGE: 37.39 V
 SHORT CIRCUIT CURRENT: 11.17 A

SUNRUN

MHIC #115875

8987 YELLOW BRICK RD, ROSEDALE, MD, 21237-2303
 PHONE 0
 FAX 0

CUSTOMER RESIDENCE:
 PATRICK OGUEJIOFOR
 8030 KAYLADINE LN, FULTON,
 MD, 20759

TEL: (301) 676-3363
 APN: 05-596598

PROJECT NUMBER:
 252R-030OGUE

DESIGNER: (415) 580-6920 ex3
 JEAN RUDAKEMWA

SHEET
ELECTRICAL

REV: B 12/27/2023

PAGE
PV-3.0

⚠ WARNING
ELECTRICAL SHOCK HAZARD
 TERMINALS ON LINE AND LOAD SIDES MAY BE ENERGIZED IN THE OPEN POSITION

LABEL LOCATION:
 INVERTER(S), AC/DC DISCONNECT(S), AC COMBINER PANEL (IF APPLICABLE).
 PER CODE(S): NEC 2020: 690.13(B), CEC 2022: 690.13(B)

⚠ WARNING
DUAL POWER SUPPLY
 SOURCES: UTILITY GRID AND PV SOLAR ELECTRIC SYSTEM

LABEL LOCATION:
 UTILITY SERVICE METER AND MAIN SERVICE PANEL.
 PER CODE(S): NEC 2020: 705.12(C), CEC 2022: 705.12(C)

⚠ WARNING
POWER SOURCE OUTPUT CONNECTION
 DO NOT RELOCATE THIS OVERCURRENT DEVICE

LABEL LOCATION:
 ADJACENT TO PV BREAKER AND ESS OCPD (IF APPLICABLE).
 PER CODE(S): NEC 2020: 705.12(B)(3)(2), CEC 2022: 705.12(B)(3)(2)

PV SYSTEM DISCONNECT
 MAXIMUM AC OPERATING CURRENT: 53.24 AMPS
 NOMINAL OPERATING AC VOLTAGE: 240 VAC

LABEL LOCATION:
 AC DISCONNECT(S), PHOTOVOLTAIC SYSTEM POINT OF INTERCONNECTION.
 PER CODE(S): NEC 2020: 690.54, CEC 2022: 690.54

INVERTER 1
PHOTOVOLTAIC DC DISCONNECT
 MAXIMUM SYSTEM VOLTAGE: 60 VDC


LABEL LOCATION:
 INVERTER(S), DC DISCONNECT(S).
 PER CODE(S): NEC 2020: 690.53, CEC 2022: 690.53

WARNING: PHOTOVOLTAIC POWER SOURCE

LABEL LOCATION:
 INTERIOR AND EXTERIOR DC CONDUIT EVERY 10 FT, AT EACH TURN, ABOVE AND BELOW PENETRATIONS, ON EVERY JB/PULL BOX CONTAINING DC CIRCUITS.
 PER CODE(S): NEC 2020: 690.31(D)(2), CEC 2022: 690.31(D)(2)


RAPID SHUTDOWN SWITCH FOR SOLAR PV SYSTEM

LABEL LOCATION:
 INSTALLED WITHIN 3' OF RAPID SHUT DOWN SWITCH PER CODE(S): NEC 2020: 690.56(C)(2), CEC 2022: 690.56(C)(2), IFC 2018: 1204.5.3



LABEL LOCATION:
 ON OR NO MORE THAT 1 M (3 FT) FROM THE SERVICE DISCONNECTING MEANS TO WHICH THE PV SYSTEMS ARE CONNECTED.
 PER CODE(S): NEC 2020: 690.56(C), CEC 2022: 690.56(C)

- NOTES AND SPECIFICATIONS:**
- SIGNS AND LABELS SHALL MEET THE REQUIREMENTS OF THE NEC 2020 ARTICLE 110.21(B), UNLESS SPECIFIC INSTRUCTIONS ARE REQUIRED BY SECTION 690, OR IF REQUESTED BY THE LOCAL AHJ.
 - SIGNS AND LABELS SHALL ADEQUATELY WARN OF HAZARDS USING EFFECTIVE WORDS, COLORS AND SYMBOLS.
 - LABELS SHALL BE PERMANENTLY AFFIXED TO THE EQUIPMENT OR WIRING METHOD AND SHALL NOT BE HAND WRITTEN.
 - LABEL SHALL BE OF SUFFICIENT DURABILITY TO WITHSTAND THE ENVIRONMENT INVOLVED.
 - SIGNS AND LABELS SHALL COMPLY WITH ANSI Z535.4-2011, PRODUCT SAFETY SIGNS AND LABELS, UNLESS OTHERWISE SPECIFIED.
 - DO NOT COVER EXISTING MANUFACTURER LABELS.



PER CODE(S): NEC 2020 : 705.10, 710.10, CEC 2022: 705.10, 710.10

SUNRUN

MHIC #115875

8987 YELLOW BRICK RD, ROSEDALE, MD, 21237-2303
 PHONE 0
 FAX 0

CUSTOMER RESIDENCE:
 PATRICK OGUEJIOFOR
 8030 KAYLADINE LN, FULTON, MD, 20759

TEL: (301) 676-3363
 APN: 05-596598

PROJECT NUMBER:
 252R-030OGUE

DESIGNER: (415) 580-6920 ex3
 JEAN RUDAKEMWA

SHEET **SIGNAGE**

REV: B 12/27/2023

PAGE **PV-4.0**

