

PERMIT

Approved
8/17/84 P 31977

SEWAGE DISPOSAL SYSTEM

Stayed A Repair

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

04-331540

ELLICOTT CITY

DISTRICT 4th

INDEX

DATE 6/14/82

David Yost IS PERMITTED TO INSTALL _____ ALTER X

ADDRESS 3405 Jennings Chapel Road, Woodbine, Md. 21797 PHONE 854-6496

SUBDIVISION _____ ROAD 3405 Jennings Chapel Rd. LOT _____
21797.

PROPERTY OWNER David Yost

ADDRESS same as above

SPECIFICATIONS

SEPTIC TANK CAPACITY _____ GALLONS

DRAIN FIELD _____ DEPTH _____ FEET. BOTTOM AREA _____ SQ. FT.

DEEP TRENCH _____ DEPTH _____ FEET. BOTTOM AREA _____ SQ. FT.

SEEPAGE PITS _____ ABSORBENT SIDE-WALL AREA _____ SQ. FT.

INLET PIPE _____ FT. BELOW ORIGINAL GRADE. MAXIMUM DEPTH _____ FT. BELOW ORIGINAL GRADE

EFFECTIVE DEPTH AT _____ FT. BELOW ORIGINAL GRADE.

LOCATE DISPOSAL AREA _____ FT. FROM _____ LOT LINE AND _____ FT. FROM _____ LOT LINE AS SEEN WHEN FACING LOT FROM

REPAIR - Call for an appointment when ground is opened up and Sanitarian will

recommend the repair system. 6/12/82 Told woman

to dig 2 holes about 12 ft deep & 50 ft apart
for observation RH

PLANS APPROVED BY Palmer F. Wine DATE 6/14/82

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER.

NOTE: ALL PIPE FROM HOUSE TO DISPOSAL AREA MUST BE CAST IRON.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA ACCEPTED.


***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.**

BLDG. PERMIT SIGNED
AND RETURNED 11/18/85
Seal # 67854
Sumner

P-31977

8/17/84
Before lunch

P31977
 A Repair
 3405 Jennings
 Chapel
 Road
 David York Property



Jennings Chapel
 Property Line

INDICATE NORTH. - NAME ADJOINING ROADWAY AS BASE LINE.

Jennings Chapel

PERMIT CARD

SEPTIC TANK, LEVEL _____ CLEANOUTS _____

DISTRIBUTION BOX, LEVEL _____

TILE FIELD, DEPTH 12 FT. TRENCH WIDTH 2 FT.

GRAVEL DEPTH 8 1/2 IN. TOTAL LENGTH 64 FT.

NUMBER OF TRENCHES 1 TOTAL BOTTOM AREA 544

SEEPAGE PITS, INSIDE DIAMETER _____ FT. DEPTH BELOW INLET _____ FT.

ABSORBENT AREA 544 SQ. FT.

64
 85

 320
 512

REMARKS 8/17/84 OK to add stone in trenches. JS
8/17/84 OK to cover all work. JS

DATE SYSTEM APPROVED 8/17/84 INSPECTOR Stayer

12/1/73

File
P 19352
A 17242

PERMIT

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

INDEXED

DISTRICT 4th

DATE 12/6/73

Jack Fyock IS PERMITTED TO INSTALL ALTER

ADDRESS Ten Oaks Road, Glenelg, Maryland PHONE 286-2939

A SEWAGE DISPOSAL SYSTEM LOCATED AT _____

SUBDIVISION _____ ROAD Jennings Chapel Road LOT 32

PROPERTY OWNER Mr. Yost

ADDRESS _____

SPECIFICATIONS 4 bedrooms

DRAIN FIELD _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

SEEPAGE PITS _____ ABSORBENT SIDE-WALL AREA _____ SQ. FT.

SEPTIC TANK CAPACITY 1250 GALLONS

FOR GARBAGE GRINDER, INCREASE DISPOSAL AREA 22% & TANK CAPACITY 50%.

OTHER DRY WELL - 100 sq. ft. absorbent sidewall area per bedroom to begin below the first 3 ft. of non-porous soil. Maximum depth permitted for dry well is 11 ft. below original grade. Locate dry well 76 ft. from right side line and 178 ft. from front property line as seen from Jennings Chapel Road.

NOTE: ALL PIPE FROM HOUSE TO DRY WELL MUST BE CAST IRON.
PERMIT VOID AFTER THREE YEARS.


NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL.

PLANS APPROVED BY Howard L. Snyder DATE 8/22/72

FILL SEPTIC TANK AND DISTRIBUTION BOX WITH WATER BEFORE CALLING FOR AN INSPECTION. COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COMMISSIONERS NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

A 17242



INDICATE NORTH. - NAME ADJOINING ROADWAY AS BASE/LINE.

PERMIT CARD Yes signed Jennings Chapel Rd S.T. / P.W.

SEPTIC TANK, LEVEL OK CLEANOUTS ① OK / OK

DISTRIBUTION BOX, LEVEL _____

TILE FIELD, DEPTH _____ FT. TRENCH WIDTH _____ FT.

GRAVEL DEPTH _____ IN. TOTAL LENGTH _____ FT.

NUMBER OF TRENCHES _____ TOTAL BOTTOM AREA _____

SEEPAGE PITS, INSIDE DIAMETER outside pits 5.6 FT. DEPTH BELOW INLET 8 FT.

ABSORBENT AREA 44 8 ± SQ. FT.

REMARKS 12/7/93 ① No cleanout; No pipe in; ② Cleanout in
+ upper in. CBS.

DATE SYSTEM APPROVED December 7, 1993 INSPECTOR C. Steaker

C 1 3881
 1 2 3 (SEQ. NO.) 6
 THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS

STATE OF MARYLAND
 WATER RESOURCES ADMINISTRATION
 TAWES STATE OFFICE BLDG., ANNAPOLIS, MD. 21401
 WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 30 DAYS AFTER WELL COMPLETION
 FILL IN THIS FORM COMPLETELY
 COUNTY NUMBER

DATE RECEIVED (DWR USE ONLY) _____ DATE WELL COMPLETED Jan 16 77
 DEPTH OF WELL 200 (TO NEAREST FOOT) 26
 PERMIT NO. FROM "PERMIT TO DRILL WELL" H0-73-0544
 28 29 30 31 32 33 34 35 36 37
 DRILLERS IDENTIFICATION NO. 42

OWNER Just David LAST NAME FIRST NAME
 STREET OR RFD _____ POST OFFICE Woodlawn

WELL LOG

STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

DESCRIPTION (USE ADDITIONAL SHEETS IF NECESSARY)	FEET		CHECK IF WATER BEARING
	FROM	TO	
<u>Top Soil</u>	<u>0</u>	<u>2</u>	
<u>Loamy Shale</u>	<u>2</u>	<u>105</u>	
<u>Brown Lts</u>	<u>105</u>	<u>125</u>	<input checked="" type="checkbox"/>
<u>Shaly Rock</u>	<u>125</u>	<u>200</u>	

GROUTING RECORD

WELL HAS BEEN GROUTED (CIRCLE APPROPRIATE BOX) Y N

TYPE OF GROUTING MATERIAL (CIRCLE BOX)
 CEMENT CM BENTONITE CLAY BC

NO. OF BAGS 20 NO. OF POUNDS 2000
 GALLONS OF WATER 120

DEPTH OF GROUT SEAL (TO NEAREST FOOT)
 FROM 0 FT. TO 43 FT.
 (ENTER 0 IF FROM SURFACE)

CASING RECORD

(INSERT APPROPRIATE CODE BELOW)

STEEL S T CONCRETE C O
 PLASTIC P L OTHER O T

MAIN CASING TYPE S T
 NOMINAL DIAMETER TOP (MAIN) CASING (NEAREST INCH) 6
 TOTAL DEPTH OF MAIN CASING (NEAREST FOOT) 110

OTHER CASING (IF USED)

DIAMETER (INCH) _____ DEPTH (FEET) FROM _____ TO _____

SCREEN RECORD

(INSERT APPROPRIATE CODE BELOW)

STEEL S T BRASS B R OPEN HOLE H O
 OR BRONZE
 PLASTIC P L OTHER O T

C 2

1 2 3 (SEQ. NO.) 6
 DEPTH (NEAREST WHOLE FOOT)
 FROM 40 TO 200
 8 9 11 15 17 21
 23 24 26 30 32 36
 38 39 41 45 47 51
 SLOT SIZE 1, _____ 2, _____ 3, _____

DIAMETER OF SCREEN _____ (NEAREST INCH)
 FROM _____ TO _____

GRAVEL PACK _____

IF WELL DRILLED WAS A FLOWING WELL CIRCLE BOX F

DWR USE ONLY. (NOT TO BE FILLED IN BY DRILLER) (E.R.O.S.)

T 70 LOG CASING
 W 72 OTHER DATA AVAILABLE

C 3

1 2 3 (SEQ. NO.) 6

PUMPING TEST

HOURS PUMPED (TO NEAREST HOUR) 1
 8 9

PUMPING RATE (GALLONS PER MINUTE TO NEAREST GALLON) 5
 15

METHOD USED TO MEASURE PUMPING RATE meter

WATER LEVEL: (DISTANCE FROM LAND SURFACE)
 BEFORE PUMPING 50 (NEAREST FOOT)
 17 20
 WHEN PUMPING 200 (NEAREST FOOT)
 22 25

TYPE OF PUMP USED (CIRCLE APPROPRIATE BOX) (FOR PUMPING TEST)
 A AIR P PISTON T TURBINE
 27 27 27
 C CENTRIFUGAL R ROTARY O OTHER (DESCRIBE BELOW)
 27 27 27
 J JET S SUBMERSIBLE
 27 27

PUMP INSTALLED

TYPE OF PUMP (WRITE APPROPRIATE LETTER IN BOX - SEE ABOVE: A, C, J, P, R, S, T, O) _____ 29

DRILLER WILL INSTALL PUMP (CIRCLE APPROPRIATE BOX) Y N

CAPACITY:
 GALLONS PER MINUTE (TO NEAREST GALLON) _____ 31 35
 PUMP HORSE POWER _____ 37 41
 PUMP COLUMN LENGTH (NEAREST FOOT) _____ 43 47

CASING HEIGHT (CIRCLE APPROPRIATE BOX AND ENTER CASING HEIGHT)

ABOVE } LAND SURFACE (NEAREST FOOT)
 BELOW } 2
 49 50 51

LOCATION OF WELL ON LOT
 SHOW PERMANENT STRUCTURE SUCH AS BUILDINGS, SEPTIC TANKS, AND/OR OTHER LAND MARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL).

CIRCLE APPROPRIATE BOXES

A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED


E ELECTRIC LOG OBTAINED

P TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT I HAVE COMPLIED WITH ALL CONDITIONS STATED ON THE ABOVE-CAPTIONED "PERMIT TO DRILL WELL", AND THAT INFORMATION CONTAINED IN THIS REPORT IS TRUE, ACCURATE, AND COMPLETE TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.

DRILLER'S NAME J. H. [Signature]

(PLEASE PRINT) _____
 SIGNATURE J. H. [Signature]



10/31/80
9:30 A.M.
Retest

APPLICATION

Pool in Septic area

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

A 3/002

P _____

HOWARD COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SERVICES

P.O. BOX 476 ELLICOTT, MARYLAND 21043
TELEPHONE: 992-2330

*low water
to 1516*

DISTRICT 4th.

DATE 10/27/80

BLDG. PERMIT SIGNED
AND RETURNED 11/3/80
Serial No. 44833
(Pool)

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

BLDG. PERMIT SIGNED
AND RETURNED 11/3/80
Serial No. 44972

PROPERTY OWNER Mr. David Yost

ADDRESS 3405 Jennings Chapel Road

PHONE 854-6496 extend patio

PROPERTY LOCATION:

SUBDIVISION _____ LOT NO. _____

ROAD AND DESCRIPTION _____

SIZE OF LOT 5 acres TYPE BLDG. _____

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE.

I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER

ANY CIRCUMSTANCES.

SIGNATURE OF APPLICANT *David J. Yost*

APPROVED BY _____ FOR _____ DATE _____


REJECTED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING _____

THIS IS NOT A PERMIT

SOIL PROFILE



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
10/31/81	1S	5 1/2'	10:06	XYF XY	XY	No PERC	
	1D	15'	10:19	10:26	10:26	10:40	H
	1M	6 1/2'	11:14	11:14	XXY	LITTLE PERC	
	2S	4 1/2'	11:37	11:40	11:40	11:46	6mm
	2D	13 1/2'	1:59	12:03	12:03	12:12	
	3	13'	SAME	as hole 2		2	

REMARKS old holes staked

TYPE OF SOIL _____

TESTED BY SK + JS ALSO PRESENT MR JOST
MR BROWNING

4-12! holes on the corners or edges of 10,000 sq. ft.

Recorded
8/22/72 A.M.
9:30

APPLICATION

Yost
A 17242
P _____

SEWAGE DISPOSAL TESTING

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

ST 3 Bedroom - 1000 gal
4 Bedroom - 1250 gal

DISTRICT 4

DATE 7/19/72

Dry well - 100 ft absorbent area per bedroom to begin below first 3 ft of non-porous soil. Maximum depth permitted for dry well is 11' below original grade. - locate dry well 76' from side (right) line & 178' from front property line as seen from Jennings Chapel road - (R12)

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TESTS IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Edwin Warfield, III (Mr. Yost - Contract Purchaser)

ADDRESS Woodbine, Maryland PHONE 442-2102

PROPERTY LOCATION:

SUBDIVISION _____ LOT NO. 32

ROAD AND DESCRIPTION Jennings Chapel Road - Daisy Road to Edwin Warfield Rd., turn right on Edwin Warfield Rd., turn left on Jennings Chapel Road, about 1/4 mile.

OCCUPANT _____ PHONE _____

PERSON TO CONSTRUCT SYSTEM _____

ADDRESS _____ PHONE _____

SIZE OF LOT 5 acres TYPE BLDG. 3 or (4) bedrooms
NUMBER OF BEDROOMS

IF NOT SINGLE RESIDENCE DESCRIBE _____

SIGNATURE OF APPLICANT (Signature)


APPROVED BY (Signature) FOR Dry well DATE 8/22/72
(KIND OF SYSTEM)

REJECTED BY _____ FOR _____ DATE _____
(KIND OF SYSTEM)

HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING _____

THIS IS NOT A PERMIT



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

JENNINGS CHAPEL ROAD

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME	
			START	STOP	START	STOP		
8/22	1	10 1/2'	9:50	9:54	9:54	10:00	6 min	
8/22	2	5'	9:51	9:53	9:53	9:55	2 min	
	3	2' same						
	4	5' 10" deep		3'				
	5	4 1/2'	10:05	10:08	10:08	10:11	3 min	
	6	10 1/2'	10:05	10:10	10:10	10:23	13 min	
8/23	7	9'	Any good soil all the way down					

SOIL AUGER FINDING

TESTED BY W. Snyder

REMARKS C. Stinson

(This is for hole)
 hole is 3"
 depth is 3'

APPLICATION

A 17242

SEWAGE DISPOSAL TESTING

P _____

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ST 3 Bedroom - 1000 gal
4 Bedroom - 1250 gal

ELLICOTT CITY

DISTRICT 4

DATE 7/19/72

Dry well - 100 ft absorbent area per bedroom to begin
at 3 ft of non-porous soil. Maximum depth permitted for
11' below original grade. - locate dry well 76' from side
line & 178' from front property line as seen from Jennings
Chapel road - (P15)

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TESTS IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Edwin Warfield, III (Mr. Yost - Contract Purchaser)

ADDRESS Woodbine, Maryland PHONE 442-2102

PROPERTY LOCATION:

SUBDIVISION _____ LOT NO. 32

ROAD AND DESCRIPTION Jennings Chapel Road - Daisy Road to Edwin Warfield Rd.,
turn right on Edwin Warfield Rd., turn left on Jennings Chapel Road, about 1/2 mile.

OCCUPANT _____ PHONE _____

PERSON TO CONSTRUCT SYSTEM _____

ADDRESS _____ PHONE _____

SIZE OF LOT 5 acres TYPE BLDG. 3 or 4 bedrooms
NUMBER OF BEDROOMS

IF NOT SINGLE RESIDENCE DESCRIBE _____

SIGNATURE OF APPLICANT Edwin Warfield, III


APPROVED BY _____ FOR _____ DATE _____
(KIND OF SYSTEM)

REJECTED BY _____ FOR _____ DATE _____
(KIND OF SYSTEM)

HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING _____

THIS IS NOT A PERMIT



INDICATE NORTH. - NAME ADJOINING ROADWAY AS BASE LINE.

JENNINGS CHAPEL ROAD

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME	
			START	STOP	START	STOP		
8/22	1	10 1/2'	9:50	9:54	9:54	10:00	6 min	
8/22	2	5'	9:51	9:53	9:53	9:55	2 min	
	3	} same type soil 10' Deep						
	4							
	5	4 1/2'	10:05	10:08	10:08	10:11	3 min	
	6	10 1/2'	10:05	10:10	10:10	10:23	13	
	7	9'	Dry good soil all the way down					6 min average

SOIL AUGER FINDING



TESTED BY

H Snyder

REMARKS

C. ... } present
H. ... }

(Use 1 & 2 hole)
Chapel in 3'
Maximum depth 11'




PLAT OF SURVEY
 FOR
 EDWIN WARFIELD III
 FOURTH ELECTION DISTRICT OF HOWARD COUNTY
 WOODBINE, MARYLAND

SCALE: 1 IN. = 200 FT

JANUARY 21, 1972

Claude M. Skinner, Jr.
 Claude M. Skinner, Jr.
 Reg. Professional Engineer &
 Land Surveyor No. 2237



APPLICATION

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

A 3102

P _____

HOWARD COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SERVICES

P.O. BOX 476 ELLICOTT, MARYLAND 21043
TELEPHONE: 992-2330

DISTRICT 4th

DATE 10/27/80

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

Mr. David Yost

PROPERTY OWNER _____

ADDRESS 3405 Jennings Chapel Road PHONE 854-6496

PROPERTY LOCATION _____

SUBDIVISION _____ LOT NO. _____

ROAD AND DESCRIPTION _____

SIZE OF LOT 5 acres TYPE BLDG. _____

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE.

I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER

ANY CIRCUMSTANCES.

SIGNATURE OF APPLICANT *David J. Yost*

APPROVED BY _____ FOR _____ DATE _____



REJECTED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING _____

THIS IS NOT A PERMIT

SOIL PROFILE



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
10/31/80	15	5 1/2'	10:06	XYX	XY	No PERC	
	10	15'	10:19	10:26	10:26	10:40	14
	1m	6 1/2'	11:14	11:20	XYXX	Little PERC	
	25	4 1/2'	11:37	11:40	11:40	11:46	6mm
	20	13 1/2'	1:59	12:03	12:03	12:12	
	3.	13	SAME	AS hole #	2		

REMARKS old holes staked

TYPE OF SOIL _____


TESTED BY SK + JS

ALSO PRESENT MR Jost
MR BREWSTER

JENNINGS CHAPEL ROAD

N 34° 08' 19" W 63.00'

167.34
Porch
144.76



N 81° 09' 27" E 948.74'

5.000 ACRES

S 81° 02' 00" W 890.00'

S 21° 39' 17" E 241.87'

10/23/80

Hold -

Possible water

needed at

Discussed @ site

(1) Retain

1/2 (2) Move Pond.

C.B.H.

LOCATION SURVEY FOR

DAVID J. YOST

FOURTH ELECTION DIST, HOWARD COUNTY.

WOODBINE, MARYLAND.

SCALE: 1 IN. = 100 FT.

MAY 3, 1974

ENGINEER'S CERTIFICATE

I hereby certify that the improvement shown hereon has been located by a transit-tape survey and there are no encroachments.

Robert M. Shing



Robert M. Shing
A-3763

October 20, 1980


Mr. David Yost
3405 Jennings Chapel Road
Woodbine, Maryland 21797

RE: Building Permit Application -
Serial Number 44833 -
Inground Swimming Pool

Dear Mr. Yost:


Please contact this office regarding your proposed swimming pool. According to our records, the pool will be located in the center of the area previously reserved for sewage disposal system repair.

Very truly yours,



Frank Skinner, Sanitarian
Water and Sewerage Program

FS:jr



*NO INTERFERENCES
WITH USE OR VIEW
11/18/85 C. Williams*

LOCATION SURVEY
FOR

DAVID J. YOST

FOURTH ELECTION DIST, HOWARD COUNTY,
WOODBINE, MARYLAND.

SCALE: 1 IN. = 100 FT. MAY 3, 1974


ENGINEER'S CERTIFICATE

I hereby certify that the improvement shown hereon has been located by a transit-tape survey and there are no encroachments.

David M. Shinn, Jr.




David M. Shinn, Jr.



5.0 - ACRES.
 OWNER - DAVID J. MOST
 LOT 32. DISTA. LIBER CHAPL. FOLIO 620

FROM SURVEY OF:
 EDWIN WARFIELD III

9/18/73
 OK
 DMM



JENNINGS CHAPEL ROAD
 104'-6"